## MINUTES OF THE 19<sup>TH</sup>MEETING OF THE EXECUTIVE COMMITTEE OF BOARD OF GOVERNORS OF CENTRAL COUNCIL OF HOMOEOPATHY HELD ON 05.04.2019 AT NEW DELHI.

#### **PRESENT**

Sh. Nilanjan Sanyal
 Dr. Anil Kumari Malhotra
 Dr. Anil Khurana
 Member

Dr. Kumar Vivekanand - Secretary

Dr. D. Samba Murthy, Inspector and Shri Y.D. Vats, Asstt. Secretary (Admn.) were present to assist the Secretary during the meeting.

#### Agenda item No. 1

### <u>Confirmation of the Minutes of the 18<sup>th</sup> meeting of the Executive Committee of Board of</u> Governors held on 29.03.2019 at New Delhi.

The Executive Committee confirmed the Minutes of last meeting held on 29.03.2019 at New Delhi subject to correction of recommendation with respect to Dr. Abhin Chandra Homoeopathic Medical College and Hospital, Bhubaneswar, which is to read as under:

"Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course and in existing PG course of Materia Medica subject to appointment of 01 Lecturer in PG Dept. of Materia Medica before commencement of new session, as minimum one higher & one lower faculty is required for any PG Dept."

#### Agenda item No. 2

### Action taken Report on the minutes of the 18<sup>th</sup> meeting of Executive Committee of Board of Governors held on 29.03.2019 at New Delhi.

The Executive Committee noted the Action taken by the office of the Council on the Minutes of the 18<sup>th</sup> meeting of Executive Committee of Board of Governors of Central Council of Homoeopathy held on 29.03.2019 at New Delhi

#### Agenda item No.3

### <u>Charging of Inspection fee every year from Homoeopathic Medical Colleges under section 12 A from 2018-19 onwards.</u>

The Executive Committee considered the Ministry's letter No.R.13015/06/2018-EP(III)-CCH dated 01.03.2019 regarding charging of inspection fee from homoeopathic college and agreed with the office proposal for charging of inspection fee from new UG colleges (after LoP), every year, from the financial year 2019-20. Similarly, inspection fee may be charged every year from those colleges to whom permission has been granted by Ministry of AYUSH to start new P.G. subjects.

The Executive Committee also took a note of high cost of TA/DA on inspections as well as fee levied by CCIM and decided to revise the Inspection Fee from the financial year 2019-20 @ Rs.1,00,000/- from each U.G. College and @Rs.25,000/- per P.G. subject from the colleges which also run P.G. subjects.

#### Agenda item No.4

### Ministry's letter No.R.13015/48/2012-EP(H)-CCH Pt (II) dated 11th March, 2019 regarding Upgradation of pay scale of the post of Assistant Secretary(Tech.) in CCH.

The Executive Committee noted that the Council proposed for upgradation of pay scale to the post of Assistant Secretary (Tech.) at par with the pay scale sanctioned for similar posts in CCIM. Rather making comparison with the pay scale in CCIM as proposed by the Council, the DoE considered the matter on the basis of recommendations of 5<sup>th</sup> CPC. Therefore, the Executive Committee decided to again take up the matter with the Ministry of AYUSH for upgradation of pay scale at par with the pay scale as has been allowed in CCIM as there cannot be separate yardstick for CCH and CCIM.

#### Agenda item No.5

## Status report in respect of requests received under Section 12A of HCC Act, 1973 for Opening of New Higher Course & Increase of Seats/opening of New Homoeopathic Medical Colleges from the academic session 2019-20.

The Executive Committee noted the status of 12A applications received from Ministry of Ayush for Opening of New Homoeopathic Medical Colleges, New or Higher Course of study & Increase of Seats in UG/PG from the academic session 2019-20.

#### Agenda Item No.6

## Ministry's letter No.13040/19/2012-HD(Tech) dated 11.3.2019 regarding inclusion of M.D.(Hom) qualification awarded by Guru Ravidas Ayurved University, Hoshiarpur in the Second Schedule of H.C.C. Act, 1973.

The Executive Committee considered the matter and recommended for inclusion of M.D. (Hom) qualification in the subjects namely Materia Medica, Organon of Medicine & Repertory in respect of Sri Guru Nanak Dev Homoeopathic Medical College, Ludhiana awarded by Guru Ravidas Ayurved University, Hoshiarpur from December, 2011 to December, 2019 in the Second Schedule to HCC Act 1973.

#### Agenda Item No.7

#### Weeding out of old records viz. Standard Information Forms (SI Forms).

The Executive Committee of BoG considered the matter of weeding out of old Standard Information Forms (SI Forms) in respect of inspections up to the year 2015-16 as per provided list and decided to digitalise all SI Forms before weeding out except SI Forms related to live Court Cases. Revised list of all documents proposed to be weeded out may be again placed before Executive Committee in next meeting.

#### **Agenda Item No.8**

### Application dated 28.02.2019 of Dr. Shoukath Ali P.K. Ex-Inspector of his Council regarding permission to join any Homoeopathic Institution after retirement.

The Executive Committee considered the request of Dr. Shoukath Ali P.K.; former Inspector and decided to ask him to provide the details of college from which he has the offer to join, along with salary and other terms & conditions of his appointment, so that appropriate decision may taken by the Council.

#### **Agenda Item No.9**

# A mail dated 19.02.2019 has been received from Principal, National Homoeopathy Research Institute in Mental Health Kottayam regarding suggestion for Equating research experience of Research Faculty at NHRIMH, Kottayam with teaching experience in the subject of Psychiatry and Practice of Medicine.

The Executive Committee considered the matter. Keeping in view of request of CCRH and letter dated 04.04.2019 of Ministry of AYUSH, this Council agreed to endorse utilization of Research Officers (H) of CCRH at NHRIMH, Kottayam as a stop-gap arrangement to conduct existing PG Courses and CCRH shall fulfil the requisite staff & other requirement as per HCC (MSR) and PG Degree Course Regulations within 03 years.

The Executive Committee also agreed to consider inspection by CCH for continuation of course for the current academic year.

#### Agenda Item No.10

### A letter dated 05.03.2019 has been received from Ministry regarding counseling admission to the AYUSH- UG and PG Course for Academic Year 2019-2020.

The Executive Committee considered the matter and noted the amendment sought by the Ministry and deferred the matter for next meeting of the Executive Committee as Dr. Anil Khurana, Member, BoG informed that some more amendments are yet to come from Ministry of AYUSH, which can be taken up simultaneously.

<u>Agenda Item No.11</u>
Consideration of Reports of Inspection of Homoeopathic Medical Colleges

Sl. No.	Name of the College	Courses Run and Intake Capacity	Date of Inspectio n	Report Dispatc hed on	Report received in CCH on	Remarks
1.	J.R. Kissan	B.H.M.S.(50)	11.03.2	12.03.20	14.03.201	Recommended for allowing admission
	Homoeopathic		019	19	9	in I-BHMS Course for the session
	Medical College	BHMS (100)*				2019-20 with the intake capacity of 50
	and Hospital, Old	M.D.(Hom)*				in existing UG (BHMS) course.
	Sunderpur Road,	M. Medica-5				Recommended also for allowing
	Jind Bye Pass,	Repertory -5				admission in M.D.(Hom) Course in the
	Rohtak. – 124001	Organon -5				subjects of Materia Medica, Repertory,
		P. of Med. 5				Organon, Practice of Medicine,
		Pharmacy-5				Pharmacy and Paediatrics with 05 seats
		Paediatrics -5				in each subject and additional

2	Bakson	* as per court order dated 08.01.2019 B.H.M.S. (100)	11.03.2	12.03.20	14.03.201	admission of 40 seats in existing UG course in compliance to order dated 08.01.2019 of Hon'ble High Court of Punjab & Haryana at Chandigarh.  Recommended for allowing admission
2.	Homoeopathic Medical College, B- 36, Knowledge Park, Phase-I, Greater NOIDA, Dist. GB Nagar - 201 306.	M.D.(Hom)  Organon -6 M. Medica -6 Repertory -6 Pharmacy -6 P. of Med -6 Paediatrics -6 Psychiatry -6	019	19	9	in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course.  Recommended also for allowing admission during 2019-20 in M.D. (Hom) Course in the subject Organon of Medicine -4 seats, Materia Medica -4 seats, Repertory -4 seats, Pharmacy -4 seats, Practice of Medicine -4 seats, Paediatrics -3 seats and Psychiatry -6 seats.
3.	Nehru Homoeopathic Medical College and Hospital, B- Block, Defence Colony, New Delhi- 110024.	B.H.M.S.(100) M.D. (Hom.) Organon of Medicine - 2 Practice of Medicine - 2 Materia Medica - 3	13.03.2 019	13.03.20	14.03.201	Not Recommended for allowing admission in existing UG and PG Courses for the session 2019-20 due to substantial shortage in faculty and hospital staff. Deficiencies reflected in the report of inspection are as under-TEACHING STAFF  1. 21 FT teachers available against the requirement of 28 in UG Course.  2. No Lecturer cadre available in any of the subject except in FMT.  3. No Professor cadre available in Pathology, Practice of Medicine & Repertory.  4. No Reader available in Anatomy.  5. 4 Guest faculty of Professor Cadre available against the requirement of 12.  6. 4 Full Time against the requirement of 12.  7. Teachers/Consultants Of Modern Medicine:Availability/Nonavailability of Physician & Pediatrician is not reported/not available.  Hospital:  1. X-ray has been reported as renovation by visitor.  2. USG has been reported as PT available Hospital Staff:  1. Medical officer not available against requirement of 04.  2. Resident Medical Officer not available against requirement of 04.  2. Resident Medical Officer not available against the requirement of 08.  4. X-ray Attendant not available against the requirement of 01.  5. Ward Boys/Ayas 02 available

against the requirement of 09 6. Yoga Expert & Physiotherapist are on PT. 7. Auxiliary staff - Dark Room Attendant not reported by visitor. Non-Teaching & Supportive Staff 1. Physiology & Biochemistry Lab Technician, Pathology Microbiology Lab Technician & Librarian are not reported by visitor/ not available. 2. Library Assistant 01 available against the requirement of 02. Hospital Equipment: 1. Artery forceps, small and big 20 available against the requirement of 36. Central Library: 1. Name & Qualification of Librarian NA/NR. Name & Qualification of Library Assistants 01 against requirement of 02. **Teaching Departments** Physiology and biochemistry: 1. Stethographs or pneumographsnot available against the requirement 2. Colorimeter (photo electric) 01 available against the requirement of 02. 3. Electronic/Monopan Balance not available against the requirement of 01. 4. Urinometer 15 available against the requirement of 25. 5. Hydrometer (0.700 to 1.00) 01 available against the requirement of 02. Albuminometers 05 available against the requirement of 10. Pathology And Microbiology: Autoclave Electric & Anaerobic apparatus 01 each available against the requirement of 02 each. 2. Colony Counter not available against the requirement of 01. Practice Of Medicine: 1. Specimens not available. Community Medicine: 1. Filter Pasteumchamberland (complete set) not available against the requirement of 01. 2. Village not adopted. Homoeopathic pharmacy: 1. Glass apparatus for filtration with vacuum 01 available against the requirement of 02. 2. Models not available. License for procuring Alcohol/Spirit is expired (Renewed

up to 31/03/2017).

4.	Solan Homoeopathic Medical College & Hospital, Barog Bye-pass, (Near Shoolini Filling Station), Kumarahatti	B.H.M.S.(75)	11.3.20 19	13.3.201	15.3.2019	<ol> <li>Plants on pots not reported by visitor.</li> <li>Repertory:</li> <li>Number of Software 04available against the requirement of 05.</li> <li>Computer Lab is under renovation.</li> <li>College Council:</li> <li>Details of meeting not available.</li> <li>Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 75 seats in existing UG (BHMS) course.</li> </ol>
5.	173229, Distt. Solan. Father Muller Homoeopathic	B.H.M.S.(100)	11.03.2 019	-	18.03.201 9	Recommended for allowing admission in I-BHMS Course for the session
	Medical College & Hospital, University Road, Deralakatte, Mangalore-574160.	M.D.(Hom.) Organon of Medicine -6 M. Medica-6 Repertory-3 Pharmacy -3 Practice of Medicine-3 Paediatrics-3 Psychiatry -3				2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course.  Recommended also for allowing admission during 2019-20 in M.D. (Hom) Course in the subject Organon of Medicine-4 seats, Pharmacy -3 seats, Materia Medica -4 seats, Practice of Medicine -3 seats, Repertory -3 seats, Paediatrics -3 seats and Psychiatry -3 seats.
6.	Govt. Homoeopathic Medical College and Hospital, Dethali, Ta. Sidhdhpur, Dist. Patan (North Gujarat)-384151	B.H.M.S.(100)	13.3.20 19	14.3.201	18.03.201	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 60 seats only in existing UG (BHMS) course due to insufficient OPD and IPD. The college should fulfil MSR Standard before commencement of 2019-20 session.
7.	D.N. De. Homoeopathic Medical College and Hospital, 12, G.K. Road, Kolkata -700 046.	B.H.M.S.(50) M.D.(Hom.) Organon - 6 Materia Medica -6	13.03.2 019	14.03.20 19	18.03.201	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course.  Recommended also for allowing admission during 2019-20 in M.D. (Hom) Course in the subject Organon of Medicine with 04 seats and Materia Medica with 05 seats.
8.	Magadh Homoeopathic Medical College, Biharsarif, Station Road, Nalanda- 803101.	B.H.M.S. (50)	13.03.2 019	15.03.20 19	18.03.201 9	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course.

9.	The Temple of	B.H.M.S. (50)	13.03.2	14.03.20	18.03.201	Not Recommended for allowing
9.	•	Б.П.М.З. (30)		14.03.20	9	
	Hahnemann		019	19	9	admission in I-BHMS Course for the
	Homoeopathic					session 2019-20 due to shortfalls in
	Medical College &					teaching faculties, hospital, hospital
	Hospital, Opposite					staff, hospital functioning, non-
	Post Office, Bhagat					teaching staff and equipments etc.
	Singh Chowk,					Deficiencies reflected in the report of
	_					<u> </u>
	Munger- 811201.					inspection are as under-
						Teaching faculty:
						1. 19 Full time against the requirement
						of 24.
						2. 1 Guest Facultyof Reader cadre
						available against the requirement of
						08.
						3. No Lecturer cadre is available in
						any subject except in Obs&Gynae
						Department.
						4. Correlation: Number of teachers as
						per faculty list reported as 36 but as
						per acquaintance it is 19.
						5. Teachers/Consultants Of Modern
						Medicine: Pathologist, Radiologist,
						Anaesthetist, Gynaecologist,
						Physician, Surgeon,
						Ophthalmologist, Paediatrician and
						Dentist not available.
						Hospital:
						1. Dispensary for OPD & IPD is not
						separated.
						2. Store not available.
						3. Distribution of beds has been
						reported by the Visitors no bed
						numbering, no bed tickets available.
						Not even IPD registration.
						4. Average bed occupancy/total
						number of IPD has been reported by
						Visitors as records not shown and
						Average number of patient per day
						in OPD & Total number of patient
						OPD has been reported by visitors as data not shown. But as per
						-
						annexure attachedtotal IPD is 1726
						<ul><li>and average bed occupancy is 18.91.</li><li>Notice of OPD timing not available.</li></ul>
						6. Separate clinical laboratory for
						hospital is available but no records
						were produced.
						7. X-ray machine available no regd.
						No Technician available.
						8. ECG not functioning.
						9. USG not available.
						10. In operation theatre and labour room
						ill equipped, not maintained and not
						functioning.
						11. Preparation room, Post operative
						recovery room, space for sterilized
						linen labour room, surgeon room
						and nursing staff room not available.
						12. Name and address of Super-
						speciality Hospital not notarized,
						not authenticated, not on judicial
L	l .	<u> </u>	l		<u> </u>	not audicinicated, not on judicial

		1		
				stamp paper.
				13. Rehabilitation of unit Physiotherapy
				and Yoga has been reported by
				visitors as no equipments but only
				space available.
				14. Hospital kitchen, Stores and
				Ambulance not available.
				Hospital staff:
				1. Medical Superintendent has been
				reported by the visitors as Dy MS
				available who is faculty of
				Organon.
				2. Senior Medical officer and
				Resident Medical officer not
				available against the requirement of 01.
				3. Medical Officer not available
				against the requirement of 02.
				4. Surgeon (General Surgery)/
				Anaesthetist/ Obstetrician/
				Gynaecologist not available against
				the requirement of 01.
				5. Radiologist/Pathologist/Biochemist
				not available against the
				requirement of 01.
				6. House Physician (Resident) not
				available against the requirement
				of 01.
				7. X-ray Technician/Radiographer
				and X-ray attendant not available.
				8. Nursing staff In-charge not
				available against the requirement
				of 01.
				9. Nursing Staff 02 available against
				the requirement of 03.
				10. Ward Boys/Ayas 02 available
				against the requirement of 04.
				11. Store keeper not available against
				the requirement of 01.
				12. Yoga Expert / Physiotherapist not
				available.
				13. Dietician not available against the
				requirement of 01.
				14. Secretarial Staff not available.
				15. Auxiliary staff Lab attendant and
				Dark Room attendant not available.
				16. Records of In-patient department
				registration and Department wise
				OPD and IPD records not shown.
				17. Medical record room and Accounts
				section not available.
				18. Contract of Staff to maintain
				cleanliness, Laundry, Hospital
				•
				catering was not shown to the
				visitors.
				Non-teaching supportive staff:
				1. Administrative Staff, Anatomy Lab
				Attendants, Physiology &
				Biochemistry Lab technician,
				Physiology & Biochemistry Lab
				Attendant, Homoeopathic
	 <u> </u>			Pharmacy Lab attendant,

			Pathology & Microbiology Lab
			technician and Library Assistant
			not available.
			Hospital equipment:
			1. Stretcher with trolley 02 available
			against the requirement of 04.
			2. Bed pans E.I. 05 available against
			the requirement of 10.
			3. Artery forceps, small and big 05
			available against the requirement
			of 06.
			4. Back rest not available against the
			requirement of 02.
			5. Oxygen cylinder with stand 01
			available against the requirement
			of 04.
			6. Diagnostic set (ENT) 01 available
			against the requirement of 04.
			7. Infra-red lamp not available
			against the requirement of 01.
			8. Chair trolley with wheels not
			available against the requirement
			of 02.
			Central library:
			1. Subscribed Journal not available.
			2. Photocopying and Internet facility
			not available.
			$\mathcal{E}$
			4. Name & Qualification of Library
			Assistant not available.
			TEACHING DEPARTMENTS
			Anatomy:
			1. Dissection table 01 available
			against the requirement of 04.
			2. Teaching material of soft parts not
			available.
			3. Mummified bodies not
			available/Cadaver not available
			4. Diagrams not available.
			5. College is not covered under the
			provision of Anatomy Act.
			Physiology & Biochemistry:
			1. Medical Microscope 23 available
			against the requirement of 25.
			2. Equipment for ESR
			estimation/Westergren's pipette for
			ESR on stand 15 available against
			the requirement of 25.
			3. Haematocrit tubes 20 available
			against the requirement of 30.
			4. Auto Analyzer or Semi Auto
			Analyser not available against the
			requirement of 01.
			5. Sphygmomanometer 24 available
			against the requirement of 25.
			6. Stethoscope 10 available against
			the requirement of 25.
			7. Clinical thermometer (Digital) 10
			available against the requirement
			of 25.
			8. Knee hammer 05 available against
			the requirement of 25.

available against the requirement of 01.  10. Glass Distillation (double apparatus not available against the requirement of 01.  11. Colour perception lantern (Edrid Green) not available against the requirement of 01.  12. Incubator not available against the requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgred dynamometer not available.  15. Facility for animal Experiment demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary nevailable against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) nevailable against the requirement of 20.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 10.  22. Centrifuge, medium speed, electing available against the requirement of 01.  22. Centrifuge, medium speed, electing available against the requirement of 01.  23. Glass ware like Pipette, Beaker		T	1	
of 05.  10. Glass Distillation (double apparatus not available against the requirement of 01.  11. Colour perception lantern (Edrid Green) not available against the requirement of 01.  12. Incubator not available against the requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experiment demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary navailable against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) navailable against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 10.  22. Centrifuge, medium speed, electing available against the requirement of 01.  22. Centrifuge, medium speed, electing available against the requirement of 01.  23. Glass ware like Pipette, Beaker				9. Stethographs or pneumographs not
10. Glass Distillation (doubl apparatus not available against the requirement of 01.  11. Colour perception lantern (Edrid Green) not available against the requirement of 01.  12. Incubator not available against the requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experiment demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 10.  22. Centrifuge, medium speed, electinot available against the requirement of 01.  22. Centrifuge, medium speed, electinot available against the requirement of 01.  22. Centrifuge, medium speed, electinot available against the requirement of 01.				available against the requirement
10. Glass Distillation (doubl apparatus not available against the requirement of 01.  11. Colour perception lantern (Edrid Green) not available against the requirement of 01.  12. Incubator not available against the requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experiment demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 10.  22. Centrifuge, medium speed, electinot available against the requirement of 01.  22. Centrifuge, medium speed, electinot available against the requirement of 01.  22. Centrifuge, medium speed, electinot available against the requirement of 01.				of 05.
apparatus not available against to requirement of 01.  11. Colour perception lantern (Edrid Green) not available against to requirement of 01.  12. Incubator not available against to requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experiment demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 02.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 10.  22. Centrifuge, medium speed, electinot available against the requirement of 01.  22. Centrifuge, medium speed, electinot available against the requirement of 01.				
requirement of 01.  11. Colour perception lantern (Edrid Green) not available against it requirement of 01.  12. Incubator not available against it requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experiment demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 10.  22. Centrifuge, medium speed, electing available against the requirement of 01.  22. Centrifuge, medium speed, electing available against the requirement of 01.  23. Glass ware like Pipette, Beaker				` ,
11. Colour perception lantern (Edrid Green) not available against the requirement of 01.  12. Incubator not available against the requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experiment demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary navailable against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) navailable against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electing available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
Green) not available against ti requirement of 01.  12. Incubator not available against ti requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Adio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experimer demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary n available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) n available against the requirement of 10.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electron not available against trequirement of 01.  23. Glass ware like Pipette, Beaker				requirement of 01.
Green) not available against ti requirement of 01.  12. Incubator not available against ti requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Adio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experimer demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary n available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) n available against the requirement of 10.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electron not available against trequirement of 01.  23. Glass ware like Pipette, Beaker				11. Colour perception lantern (Edridge
requirement of 01.  12. Incubator not available against the requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experiment demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electron of available against frequirement of 01.  23. Glass ware like Pipette, Beaker				
12. Incubator not available against the requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experiment demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 10.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electing against the requirement of 01.  23. Glass ware like Pipette, Beaker				
requirement of 01.  13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experimer demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electing not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experimer demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary n available against the requireme of 02.  17. Water baths not available again the requirement of 05.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) n available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available agair the requirement of 01.  22. Centrifuge, medium speed, electr not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				12. Incubator not available against the
13. Educational CD, DVD, Film Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experimer demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary n available against the requireme of 02.  17. Water baths not available again the requirement of 05.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) n available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available agair the requirement of 01.  22. Centrifuge, medium speed, electr not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				requirement of 01.
Slides, Models and Audio Visu Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experimer demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electrinot available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
Aids not available.  14. Tonometer, Handgr dynamometer not available.  15. Facility for animal Experimer demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electron available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
14. Tonometer, Handgr dynamometer not available. 15. Facility for animal Experimer demonstration with the help Audio visual Aids not available. 16. Balance, Chemical/ordinary in available against the requirement of 02. 17. Water baths not available again the requirement of 02. 18. Urinometer 03 available again the requirement of 25. 19. Hydrometer (0.700 to 1.00) in available against the requirement of 02. 20. Glucometer not available again the requirement of 10. 21. Hot air oven not available again the requirement of 01. 22. Centrifuge, medium speed, electing not available against the requirement of 01. 23. Glass ware like Pipette, Beaker				
dynamometer not available.  15. Facility for animal Experimer demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary navailable against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) navailable against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electing not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				Aids not available.
dynamometer not available.  15. Facility for animal Experimer demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary navailable against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) navailable against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electing not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				14. Tonometer, Handgrip
15. Facility for animal Experiment demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 25.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electinot available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
demonstration with the help Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electring not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				I
Audio visual Aids not available.  16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electrinot available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available against the requirement of 02.  18. Urinometer 03 available against the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available against the requirement of 10.  21. Hot air oven not available against the requirement of 01.  22. Centrifuge, medium speed, electron not available against to requirement of 01.  23. Glass ware like Pipette, Beaker				demonstration with the help of
16. Balance, Chemical/ordinary in available against the requirement of 02.  17. Water baths not available against the requirement of 02.  18. Urinometer 03 available against the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available against the requirement of 10.  21. Hot air oven not available against the requirement of 01.  22. Centrifuge, medium speed, electron not available against to requirement of 01.  23. Glass ware like Pipette, Beaker				Audio visual Aids not available.
available against the requirement of 02.  17. Water baths not available against the requirement of 02.  18. Urinometer 03 available against the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available against the requirement of 10.  21. Hot air oven not available against the requirement of 01.  22. Centrifuge, medium speed, electing not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
of 02.  17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) n available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electing not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				I
17. Water baths not available again the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) n available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electron not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				_
the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electing not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
the requirement of 02.  18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electing not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				17. Water baths not available against
18. Urinometer 03 available again the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electron not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
the requirement of 25.  19. Hydrometer (0.700 to 1.00) in available against the requirement of 02.  20. Glucometer not available against the requirement of 10.  21. Hot air oven not available against the requirement of 01.  22. Centrifuge, medium speed, electron not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
19. Hydrometer (0.700 to 1.00) n available against the requireme of 02. 20. Glucometer not available again the requirement of 10. 21. Hot air oven not available again the requirement of 01. 22. Centrifuge, medium speed, electr not available against the requirement of 01. 23. Glass ware like Pipette, Beaker				
available against the requirement of 02.  20. Glucometer not available against the requirement of 10.  21. Hot air oven not available against the requirement of 01.  22. Centrifuge, medium speed, electron not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				the requirement of 25.
available against the requirement of 02.  20. Glucometer not available against the requirement of 10.  21. Hot air oven not available against the requirement of 01.  22. Centrifuge, medium speed, electron not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				19. Hydrometer (0.700 to 1.00) not
of 02.  20. Glucometer not available again the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electron not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
20. Glucometer not available again the requirement of 10. 21. Hot air oven not available again the requirement of 01. 22. Centrifuge, medium speed, electron not available against the requirement of 01. 23. Glass ware like Pipette, Beaker				
the requirement of 10.  21. Hot air oven not available again the requirement of 01.  22. Centrifuge, medium speed, electron not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
21. Hot air oven not available agair the requirement of 01. 22. Centrifuge, medium speed, electron not available against the requirement of 01. 23. Glass ware like Pipette, Beaker				
the requirement of 01.  22. Centrifuge, medium speed, electron not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				the requirement of 10.
the requirement of 01.  22. Centrifuge, medium speed, electron not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				21. Hot air oven not available against
22. Centrifuge, medium speed, electron not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
not available against the requirement of 01.  23. Glass ware like Pipette, Beaker				
requirement of 01. 23. Glass ware like Pipette, Beaker				_
23. Glass ware like Pipette, Beaker				not available against the
23. Glass ware like Pipette, Beaker				requirement of 01.
				Burettes, Wire gouge with
asbestos, Centre hot plate, Stov				asbestos, Centre hot plate, Stove,
Syringes, Burners, Rubber tubin				Syringes, Burners, Rubber tubing,
				Stands, Clamps and Flask not
available.				
Pathology & Microbiology:				
1. Hot air oven (50° C) not availab				1. Hot air oven (50° C) not available
against the requirement of 01.				1
				-
against the requirement of 04.				
3. Stains, Chemical Reagents f				3. Stains, Chemical Reagents for
				Histopathology are available but
expired.				
requirement of 02.				requirement of 02.
				1
against the requirement of 02.				
				1 1
Not Available.				
7. Material for preparation of Sta				7. Material for preparation of Stain
not available.				
requirement of 02.				
9. Computer with accessories n				9. Computer with accessories not
				available against the requirement
	•		<u>.</u>	

of 0.1.  10. Pathological specimens not available against the requirement of 25.  11. Models not available. Forensic medicine & Toxicology: 1. VernierCallipers not available against the requirement of 10. Practice of Medicine: 2. Equipment's for identification not available. 3. Specimens not available. 4. Books in departmental library not available. 5. Additional items not available. Surgery: 1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 3. Materials Communicable diseases & Prophylactics not available. 4. Information on display on Immunication on display on Immunication on display on Immunication, Community Health, Family Welfare, Bios Statistics, Research & Methodology not available. 4. Information on display on Immunication, Community Health, Family Welfare, Bios Statistics, Research & Methodology not available. 4. Index the requirement of 01. 4. Health Check-up Camps not available against the requirement of 25. 4. Water purification plant not available. 4. Industries not available. 5. Industries not available. 6. Milk Pasteurization plant not available. 6. Industries not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. 1. Specimens not available. 1. Specimens not available. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with rongs not available against the requirement of 25. 4. Pestles & Mortars (from, Glass, Porcelain) of available against the requirement of 25. 5. Water Bah (Meal/Flectric) not available against the requirement of 25. 6. Microscope (Student type) OZ available against the requirement of 26. 7. Glass apparatus for filtration with vacuum not available against the requirement of 27. 8. Water Bah (Meal/Flectric) not available against the requirement of 27. 9. Glass apparatus for filtration with vacuum not available against the requirement of 27. 9. Glass apparatus for filtration with vacuum not available against the requirement of 27. 9. The			1	1	
available against the requirement of 25.  11. Models not available. Forenste medicine & Toxicology; 1. VernierCalityers not available against the requirement of 01. Practice of Medicine: 2. Equiyment's for identification not available. 3. Specimens not available. 4. Books in departmental library not available. 5. Additional items not available. Surgecy: 1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. Community Medicine: 3. Materials concerning Communicable diseases & Prophylactics not available. 4. Information on display on Immunication, Community Health, Family Welfare, Bio Stutistics, Research & Methodology not available. 4. Information on display on Immunication, Community Health, Family Welfare, Bio Stutistics, Research & Methodology not available against the requirement of 01. 6. Health Check-up Camps not available against the requirement of models available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. Obstetries & Gynaccology: 1. Specimens not available. Obstetries & Gynaccology: 1. Specimens not available. Obstetries & Gynaccology: 1. Pill tiles not available against the requirement of 25. 1. Crucibles with tongs not available against the requirement of 25. 1. Crucibles with tongs not available against the requirement of 25. 1. Crucibles with tongs not available against the requirement of 25. 1. Crucibles with tongs not available against the requirement of 25. 2. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 3. Crucibles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 3. Crucibles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 3. Crucibles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 4. Pestles & Mortars					of 01.
of 25.  11. Models not available. Forensic medicine & Toxicology: 1. Vernier Califlers not available against the requirement of 01. Practice of Medicine: 2. Equipment's for identification not available. 3. Specimens not available. 4. Brooks in departmental library not available. 5. Additional items not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 3. Materials concerning Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 3. Materials concerning Community Medicine: 4. Information on display on Immunication, Community Health, Family Welfare, Bio Statistics, Research & Methodology not available. 4. Information on display on Immunication, Community Health, Family Welfare, Bio Statistics, Research & Methodology not available against the requirement of 01. 6. Health Check-up Camps not available against the requirement of 01. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. 9. Industries not available. 9. Industries not available. 1. Obstetries & Gryanecology: 1. Specimens not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Cruebbes with tongs not available against the requirement of 25. 4. Pessless & Mortars (fron, Glass, Forcelain) Of available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 07. 7. Glass apparatus for filtration with vacuum not available against the requirement of 07. 7. Glass apparatus for filtration with vacuum not available against the requirement of 07. 8. Milk pasteurization with vacuum not available against the requirement of 07. 8. Milk pasteurization with vacuum not available against the requirement of 07. 8. Milk pasteurization with vacuum not available against the requirement of 07. 8. Milk pasteurization with vacuum not available against the requirement of 07. 8. Milk pasteurization with vacu					
11. Models not available. Foreasts medicine & Toxicology: 1. VernierCallipers not available against the requirement of 01. Practice of Medicine: 2. Equipment's for identification not available. 3. Specimens not available. 4. Books in departmental library not available. 5. Additional items not available. 6. Surgery: 1. Specimens not available. 6. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 6. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 6. Materials concerning Communicable diseases & Prophylactics not available. 6. Information on display on Immunication, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 6. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. 9. Industries not available. 9. Industries not available against the requirement of 25. 1. Porcelain dishes not available against the requirement of 25. 1. Porcelain dishes not available against the requirement of 25. 1. Pestles & Mortars (Iron, Glass, Porcelain) O5 available against the requirement of 25. 1. Pestles & Mortars (Iron, Glass, Porcelain) O5 available against the requirement of 25. 1. Water Bath (Metal-Electric) not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with longs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) O5 available against the requirement of 25. 5. Water Bath (Metal-Electric) not available against the requirement of 25. 6. Microscope (Student type) O2 available against the requirement of 01. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 02.					available against the requirement
Forensic medicine & Toxicology:  1. VernierCallipers not available against the requirement of 01. Practice of Medicine:  2. Equipment's for identification not available.  3. Specimens not available.  4. Books in departmental library not available.  5. Additional items not available.  Surgery:  1. Specimens not available.  Community Medicine:  2. Hydrometer (wet & dry bulb) not available.  Community Medicine:  2. Hydrometer (wet & dry bulb) not available.  3. Materials concerning Communicable diseases & Prophylactics not available.  4. Information on display on Immunization, Community Health.  Family Welfare Bio-Statistics, Research & Methodology not available.  5. Ideal well model not available against the requirement of 01.  6. Health Check-up Camps not available.  7. Water purification plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available.  Obsteries &Gynacology:  1. Specimens not available.  6. Obsteries &Gynacology:  1. Specimens not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  8. Prophylactics with tongs not available against the requirement of 25.  9. Procelain dishes not available against the requirement of 25.  1. Petit dies not available against the requirement of 25.  1. Petit dies not available against the requirement of 25.  1. Petit dies not available against the requirement of 25.  1. Petit dies not available against the requirement of 25.  1. Petit dies not available against the requirement of 25.  2. Porcelain of available against the requirement of 25.  3. Carcibles with tongs not available against the requirement of 25.  4. Petit available against the requirement of 20.  5. Glass apparatus for filtration with vacuum not available against the requirement of 20.  8. Thin layer chromatography apparatus not available against the requirement of 20.					of 25.
1. VernierCallipers not available against the requirement of 0.1. Practice of Medicine: 2. Equipment's for identification not available. 3. Specimens not available. 4. Books in departmental library not available. 5. Additional items not available. Surgery: 1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 3. Materials concerning Communicable diseases & Prophylactics not available. 4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 0.1. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obsteries & Gynaecology: 1. Specimens not available. Obsteries & Gynaecology: 1. Specimens not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (fron, Glass, Porcelain) Of available against the requirement of 25. 4. Pestles & Mortars (fron, Glass, Porcelain) Of available against the requirement of 25. 4. Pestles & Mortars (fron, Glass, Porcelain) Of available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 25. 7. Glass apparatus for flutrature of 25. 8. Thin layer chromatography apparatus not available against the requirement of 25. 8. Thin layer chromatography apparatus not available against the requirement of 27. 8. Thin layer chromatography apparatus not available against the requirement of 28. 8. Thin layer chromatography apparatus not available against the requirement of 29. 8. Thin layer chromatography apparatus not available against the requirement of 29.					11. Models not available.
1. VernierCallipers not available against the requirement of 0.1. Practice of Medicine: 2. Equipment's for identification not available. 3. Specimens not available. 4. Books in departmental library not available. 5. Additional items not available. Surgery: 1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 3. Materials concerning Communicable diseases & Prophylactics not available. 4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 0.1. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obsteries & Gynaecology: 1. Specimens not available. Obsteries & Gynaecology: 1. Specimens not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (fron, Glass, Porcelain) Of available against the requirement of 25. 4. Pestles & Mortars (fron, Glass, Porcelain) Of available against the requirement of 25. 4. Pestles & Mortars (fron, Glass, Porcelain) Of available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 25. 7. Glass apparatus for flutrature of 25. 8. Thin layer chromatography apparatus not available against the requirement of 25. 8. Thin layer chromatography apparatus not available against the requirement of 27. 8. Thin layer chromatography apparatus not available against the requirement of 28. 8. Thin layer chromatography apparatus not available against the requirement of 29. 8. Thin layer chromatography apparatus not available against the requirement of 29.					Forensic medicine & Toxicology:
against the requirement of 01. Prectice of Medicine:  2. Equipment's for identification not available.  3. Specimens not available. 4. Books in departmental library not available. 5. Additional items not available. Surgery: 1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry built) not available. 3. Materials concerning Communicable diseases & Prophylactics not available. 4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetrics &Gynaecology: 1. Specimens not available. Homocopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 5. Crucibles with tongs not available against the requirement of 25. 6. Microscope (Student type) 2. 7. Specimes of available against the requirement of 25. 8. Water Bath (Metal/Filectric) not available against the requirement of 25. 8. Water Bath (Metal/Filectric) not available against the requirement of 25. 8. Water Bath (Metal/Filectric) not available against the requirement of 25. 8. Water Bath (Metal/Filectric) not available against the requirement of 25. 8. Water Bath (Metal/Filectric) not available against the requirement of 25. 9. Water Bath (Metal/Filectric) not available against the requirement of 25. 9. Water Bath (Metal/Filectric) not available against the requirement of 25. 9. Water Bath (Metal/Filectric) not available against the requirement of 25. 9. Water Bath (Metal/Filectric) not available against the requirement of 25. 9. Water Bath (Metal/Filectric) not available against the requirement of 25. 9. Water Bath (Metal/Filectric) not available against the requirement of 25. 9. Water Bath (Metal/Filectric) not available against the requirement of 25.					
Practice of Medicine:  2. Equipment's for identification not available.  3. Specimens not available.  4. Books in departmental library not available.  5. Additional items not available.  Surgery:  1. Specimens not available.  Community Medicine:  2. Hydrometer (wet & dry bulb) not available.  3. Materials  Communicable diseases & Prophylactics not available.  4. Information on display on Immunization. Community Health, Family Welfare, Bio-Stutistics, Research & Methodology not available.  5. Ideal well model not available against the requirement of 01.  6. Health Check-up Camps not available.  7. Water purification plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available.  Obstetries &Gynaccology:  1. Specimens not available.  Homocopathic Pharmacy:  1. Pill till tells not available.  Homocopathic Pharmacy:  1. Pill till tells not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (fron, Glass, Porcelain) Of available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) O2 available against the requirement of 25.  7. Glass apparatus for filtration with vacuum not available against the requirement of 25.  8. Thin layer chromatography apparatus not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 02.					*
2. Equipment's for identification not available. 3. Specimens not available. 4. Books in departmental library not available. 5. Additional items not available. 6. Surgery: 7. 1. Specimens not available. 6. Community Medicine: 7. Hydrometer (wet & dry bulb) not available. 7. Materials concerning Communicable diseases & Prophylactics not available. 8. Materials concerning Communicable diseases & Prophylactics not available. 9. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 9. Industries not available against the requirement of 01. 9. Health Check-up Camps not available. 9. Industries not available. 9. Industries not available. 0. Statistics, Research & Methodology not available. 9. Industries not available. 1. Water purification plant not available. 9. Industries not available. Obstetrics & Gynaecology: 1. Specimens not available. Obstetrics & Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Fill tiles not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Irno, Glass, Porcelain) Of available against the requirement of 25. 5. Water Bath (Metal/Flectric) not available against the requirement of 25. 6. Microscope, Csludent type) 02 available against the requirement of 07. 7. Glass apparatus for filtration with vacuum not available against the requirement of 07. 8. Thin layer chromatography apparatus not available against the requirement of 08. 8. Thin layer chromatography apparatus not available against the requirement of 09. 8. Thin layer chromatography apparatus not available against the requirement of 09. 8. Thin layer chromatography apparatus not available against the requirement of 09.					
available.  3. Spocimens not available. 4. Books in departmental library not available. 5. Additional items not available. Surgery: 1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 3. Materials concerning Communicable diseases & Prophylactics available. 4. Information on display on Immunaization, Community Health, Family Welfare. Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 0.1. 6. Health Chck-up Camps not available. available. 7. Water purification plant not available. available. 8. Milk Pasteurization plant not available. Amilk Pasteurization plant not available. Cobstetries & Gynaccology; 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill till end available against the requirement of 25. 3. Crucibles with lorge not available against the requirement of 25. 4. Pestles & Mortars (fron, Glass, Porcelain) dishes not available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 07. 6. Glass apparatus for filtration with vacuum not available against the requirement of 07. 6. Glass apparatus for filtration with vacuum not available against the requirement of 09. 7. Glass apparatus for filtration vith vacuum not available against the requirement of 09. 7. Glass apparatus for filtration vith vacuum not available against the requirement of 09. 7. Glass apparatus for filtration vith vacuum not available against the requirement of 09. 7. Glass apparatus for filtration vith vacuum rot available against the requirement of 09. 8. Thin layer chromatography apparatus not available against the requirement of 09.					
3. Specimens not available. 4. Books in departmental library not available. 5. Additional items not available. 6. Surgery: 1. Specimens not available. 6. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 7. Specimens not available. 8. Materials concerning Communicable diseases & Prophylactics not available. 8. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 9. Ideal well model not available against the requirement of 01. 10. Health Check-up Camps not available. 11. Water purification plant not available. 12. Water purification plant not available. 13. Milk Pasteurization plant not available. 14. Disturbing the purification plant not available. 15. Disturbing the purification plant not available. 16. Obstetries & Gynaccology: 17. Specimens not available. 18. Homocopathic Pharmacy: 18. Pill tills not available against the requirement of 25. 29. Porcelain dishes not available against the requirement of 25. 29. Porcelain of shes not available against the requirement of 25. 20. Porcelain of shorts (fron, Glass, Porcelain) 05 available against the requirement of 25. 20. Pestes & Mortars (fron, Glass, Porcelain) 05 available against the requirement of 25. 20. Pestes & Mortars (fron, Glass, Porcelain) 05 available against the requirement of 25. 20. Microscope (Student type) 02 available against the requirement of 25. 20. Water Bath (Metal/Electric) not available against the requirement of 07. 21. Glass apparatus for filtration with vacuum not available against the requirement of 08. 22. R. Thin layer chromatography apparatus not available against the requirement of 09. 23. Thin layer chromatography apparatus not available against the requirement of 09.					
4. Books in departmental library not available. 5. Additional items not available. Surgery: 1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 3. Materials concerning Communicable diseases & Prophylactics not available. 4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetries &Gynaccology: 1. Specimens not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Motta ong not available against the requirement of 25. 5. Vater Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 25. 7. Glass apparatus for filtration with vacuum not available against the requirement of 07. 8. Microscope (Student type) 02 available against the requirement of 07. 8. Microscope (Student type) 02 available against the requirement of 07. 9. Glass apparatus for filtration with vacuum not available against the requirement of 07. 9. Glass apparatus for filtration with vacuum not available against the requirement of 08. 9. Thin layer chromatography apparatus not available against the requirement of 09. 9. Thin layer chromatography apparatus not available against the requirement of 09. 9. Thin layer chromatography apparatus not available against the requirement of 09.					
available.  5. Additional tiems not available. Surgery: 1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. Gommunicable diseases & Prophylactics not available. 4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. Obstetries & Gynaecology: 1. Specimens not available. Obstetries & Gynaecology: 1. Specimens not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (fron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 25. 7. Glass apparatus for filtration with vacuum not available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 05. 8. This layer chromatography apparatus not available against the requirement of 02. 8. This layer chromatography apparatus not available against the requirement of 05. 9. Glass apparatus for filtration with vacuum not available against the requirement of 05. 9. Glass apparatus for filtration with vacuum not available against the requirement of 05. 9. Glass apparatus for filtration with vacuum not available against the requirement of 05. 9. Glass apparatus for filtration with vacuum not available against the requirement of 05.					
5. Additional items not available. Surgery: 1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 3. Materials concerning Communicable diseases & Prophylactics not available. 4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obsterries & Gynaccology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortras (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 5. Water Bath (Metal/Electric) or available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 05. 8. Microscope (Student type) 02 available against the requirement of 05. 9. Glass apparatus for filtration with vacuum not available against the requirement of 05. 9. Thin layer chromatography apparatus not available against the requirement of 07. 9. Thin layer chromatography apparatus not available against the requirement of 07.					4. Books in departmental library not
Surgery: 1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 3. Materials concerning Communicable diseases & Prophylactics not available. 4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetrics &Gynaecology: 1. Specimens ovariable. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with (ongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 02.					available.
1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 3. Materials concerning Communicable diseases & Prophylactics not available. 4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetrics & Gynaecology: 1. Specimens not available. Homocopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (fron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 25. 7. Glass apparatus for filtration with vacuum not available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 02.					5. Additional items not available.
1. Specimens not available. Community Medicine: 2. Hydrometer (wet & dry bulb) not available. 3. Materials concerning Communicable diseases & Prophylactics not available. 4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetrics & Gynaecology: 1. Specimens not available. Homocopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (fron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 25. 7. Glass apparatus for filtration with vacuum not available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 02.					Surgery:
Community Medicine:  2. Hydrometer (wet & dry bulb) not available.  3. Materials concerning Communicable diseases & Prophylactics not available.  4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available.  5. Ideal well model not available against the requirement of 01.  6. Health Check-up Camps not available.  7. Water purification plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available.  Obstetrics & Gynaecology:  1. Specimen at available.  Homocopathic Pharmacy:  1. Pilt tiles not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 05.  8. Thin layer chromatography apparatus not available against the requirement of 05.					
2. Hydrometer (wet & dry bulb) not available. 3. Materials concerning Communicable diseases & Prophylactics not available. 4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetrics & Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pilt tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestels & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 05. 8. Thin layer chromatography apparatus not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 02.					-
available.  3. Materials concerning Communicable diseases & Prophylactics not available.  4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available.  5. Ideal well model not available against the requirement of 01.  6. Health Check-up Camps not available.  7. Water purification plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available.  Obstetrics & Gynaecology:  1. Specimens not available.  Homoeopathic Pharmacy:  1. Pill tiles not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) OS available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) OS available against the requirement of 25.  5. Water Bah (Metal/Electric) not available against the requirement of 25.  7. Glass apparatus for filtration with vacuum not available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 05.  8. Thin layer chromatography apparatus not available against the requirement of 02.					
3. Materials concerning Communicable diseases & Prophylactics not available. 4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available. 5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetrics & Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tules not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (fron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 25. 7. Glass apparatus for filtration with vacuum not available against the requirement of 25. 8. Thin layer chromatography apparatus not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 02.					
Communicable diseases & Prophylactics not available.  4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available.  5. Ideal well model not available against the requirement of 01.  6. Health Check-up Camps not available.  7. Water purification plant not available.  8. Milk Pasteurization plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available.  Obstetrics & Gynaccology:  1. Specimens not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 05.  8. Thin layer chromatography apparatus not available against the requirement of 05.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
Prophylactics not available.  4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available.  5. Ideal well model not available against the requirement of 01.  6. Health Check-up Camps not available.  7. Water purification plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available.  Obstetrics & Gynaecology:  1. Specimens not available. Homoeopathic Pharmacy:  1. Pill ties not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 25.  7. Glass apparatus for filtration with vacuum not available against the requirement of 25.  8. Thin layer chromatography apparatus not available against the requirement of 25.  8. Thin layer chromatography apparatus not available against the requirement of 27.					E
4. Information on display on Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available.  5. Ideal well model not available against the requirement of 01.  6. Health Check-up Camps not available.  7. Water purification plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available.  Obstetrics & Gynaecology:  1. Specimens not available. Homoeopathic Pharmacy:  1. Pill tiles not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 05.  8. Thin layer chromatography apparatus not available against the requirement of 25.					
Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available.  5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetries & Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Specimens not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 25. 7. Glass apparatus for filtration with vacuum not available against the requirement of 25. 7. Glass apparatus for filtration with vacuum not available against the requirement of 25. 8. Thin layer chromatography apparatus not available against the requirement of 05. 9. Glass apparatus for filtration with vacuum not available against the requirement of 05. 9. Thin layer chromatography apparatus not available against the requirement of 01.					Prophylactics not available.
Immunization, Community Health, Family Welfare, Bio-Statistics, Research & Methodology not available.  5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetries & Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Specimens not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 25. 7. Glass apparatus for filtration with vacuum not available against the requirement of 25. 7. Glass apparatus for filtration with vacuum not available against the requirement of 25. 8. Thin layer chromatography apparatus not available against the requirement of 05. 9. Glass apparatus for filtration with vacuum not available against the requirement of 05. 9. Thin layer chromatography apparatus not available against the requirement of 01.					4. Information on display on
Family Welfare, Bio-Statistics, Research & Methodology not available.  5. Ideal well model not available against the requirement of 01.  6. Health Check-up Camps not available.  7. Water purification plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available.  Obstetrics &Gynaecology:  1. Specimens not available.  Homoeopathic Pharmacy:  1. Pill tiles not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 05.  8. Thin layer chromatography apparatus not available against the requirement of 02.					1 0
Research & Methodology not available.  5. Ideal well model not available against the requirement of 01.  6. Health Check-up Camps not available.  7. Water purification plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available.  Obstetrics &Gynaecology  1. Specimens not available. Homoeopathic Pharmacy;  1. Pill tiles not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 05.  8. Thin layer chromatography apparatus not available against the requirement of 02.					
available.  5. Ideal well model not available against the requirement of 01.  6. Health Check-up Camps not available.  7. Water purification plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available.  Obstetries &Gynaecology:  1. Specimens not available. Homoeopathic Pharmacy:  1. Pill tiles not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 05.  8. Thin layer chromatography apparatus not available against the requirement of 02.					•
5. Ideal well model not available against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetrics &Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 05. 8. Thin layer chromatography apparatus not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					
against the requirement of 01. 6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetrics & Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 02.					
6. Health Check-up Camps not available. 7. Water purification plant not available. 8. Milk Pasteurization plant not available. 9. Industries not available. Obstetrics &Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					
available.  7. Water purification plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available. Obstetrics &Gynaecology: 1. Specimens not available. Homocopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					
7. Water purification plant not available.  8. Milk Pasteurization plant not available.  9. Industries not available. Obstetrics &Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 07. 8. Thin layer chromatography apparatus not available against the requirement of 01.					6. Health Check-up Camps not
available.  8. Milk Pasteurization plant not available.  9. Industries not available. Obstetrics & Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					available.
available.  8. Milk Pasteurization plant not available.  9. Industries not available. Obstetrics & Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					7. Water purification plant not
available.  9. Industries not available. Obstetrics & Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					
available.  9. Industries not available. Obstetrics & Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					8. Milk Pasteurization plant not
9. Industries not available. Obstetrics & Gynaecology: 1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					<u> •</u>
Obstetrics &Gynaecology:  1. Specimens not available. Homoeopathic Pharmacy:  1. Pill tiles not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
1. Specimens not available. Homoeopathic Pharmacy: 1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					
Homoeopathic Pharmacy:  1. Pill tiles not available against the requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
1. Pill tiles not available against the requirement of 25. 2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					-
requirement of 25.  2. Porcelain dishes not available against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 00.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
2. Porcelain dishes not available against the requirement of 25. 3. Crucibles with tongs not available against the requirement of 25. 4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25. 5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					
against the requirement of 25.  3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					2. Porcelain dishes not available
3. Crucibles with tongs not available against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					against the requirement of 25.
against the requirement of 25.  4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
4. Pestles & Mortars (Iron, Glass, Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
Porcelain) 05 available against the requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
requirement of 25.  5. Water Bath (Metal/Electric) not available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
5. Water Bath (Metal/Electric) not available against the requirement of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					
available against the requirement of 25.  6. Microscope (Student type) 02 available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					
of 25. 6. Microscope (Student type) 02 available against the requirement of 05. 7. Glass apparatus for filtration with vacuum not available against the requirement of 02. 8. Thin layer chromatography apparatus not available against the requirement of 01.					available against the requirement
available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
available against the requirement of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					6. Microscope (Student type) 02
of 05.  7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
7. Glass apparatus for filtration with vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
vacuum not available against the requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
requirement of 02.  8. Thin layer chromatography apparatus not available against the requirement of 01.					
8. Thin layer chromatography apparatus not available against the requirement of 01.					
apparatus not available against the requirement of 01.					-
requirement of 01.					
requirement of 01.					apparatus not available against the
, , , , , , , , , , , , , , , , , , , ,					
		1	1		1

I		1	
			requirement of 02.
		-	0. Stop watch 01 available against the
			requirement of 25.
		-	1. Lactometer not available against
			the requirement of 05.
			2. Water Still (Distilled water plant)
			not available against the
			requirement of 01.
		[ ]	3. Macerator not available against the
			requirement of 05.
		1	4. Botanical slides not available.
		1	5. Distillation apparatus (Glass) not
			available against the requirement
			of 01 set.
		1	6. Pyknometer (Specific Gravity
			bottle) not available against the
			requirement of 02.
			7. Electronic balance not available
			against the requirement of 01.
		-	8. Hot Air Oven not available against
			the requirement of 01.
			9. Chemical Balance not available
		-	against the requirement of 10.
		,	20. Physical Balance not available
		1	against the requirement of 01.
		4	21. Measuring glass (All Sizes) not
			available.
		4	22. Miscellaneous-
			Chemicals/Drugs/Glass
			Phials/Glass Rods/Funnels/Filter
			Paper/Others not available.
		1	23. Books in Departmental Library not
			available.
			24. Models not available.
		2	25. Specimens- Vegetable not
			available/Animals not
			available/Chemical not available.
			26. Details of vehicles-/Solids not
			available/Liquids not
			available/Semi solids not
			available/Alcohol not available.
		2	27. License for procuring Alcohol not
			available.
		2	28. Homoeopathic Pharmacopoeias not
			available.
		2	29. Herbal Garden-/No Species
			planted.
		3	30. No educational tour conducted last
			year.
		۱ ا	Materia Medica:
			. Charts on medicines of Ophidia
		-	group, Spider family, Nosodes &
			Sarcodes not available against the
			requirement of 25.
			2. Specimens for identification not
		4	available.
		-	Books in Departmental library are
			reported by visitor as 11
			(Accessing number not available).
			Organon of Medicine:
		] 1	. Charts on History of medicine not
			available and Books on History of

						11.1
						medicine not available. Repertory:
						2. Computers not available against
						the requirement of 05.
						3. Software's not available against
						the requirement of 05.
						4. Computer Lab details not
						available.
						Details of College Council:
						1. It has been reported by visitors as
						documents not produced, Hence
10.	The Calcutta	BHMS(50)	13.03.2	14.03.20	18.03.201	functionality can't be verified.
10.	Homoeopathic	M.D.(Hom.)	019	14.03.20 19	9	Recommended for allowing admission in I-BHMS Course for the session
	Medical College	Practice of	017	1)		
	and Hospital,	Medicine -06				2019-20 with the intake capacity of 50
	265/66, Acharya	Wedlenie 00				seats in existing UG (BHMS) course
	Prafulla Chandra					and 04 seats in M.D. (Hom) Course in
	Road, Kolkata-09.					the subject of Practice of Medicine.
11.	Sri Gurunanak Dev	B.H.M.S.(60)	16.3.20	16.3.201	18.3.2019	Recommended for allowing admission
	Homoeopathic	Organ of	19	9		in I-BHMS Course for the session
	Medical College,	Medicine -6				2019-20 with the intake capacity of 60
	Canal Road,	Materia Medica				seats in existing UG (BHMS) course
	Barewal, Near	-6 Repertory				and 06 seats each in M.D. (Hom)
	Punjab Agricultural	-6				Course in the subject of Organon of
	University. Via					Medicine, Materia Medica &
	Ayalikalan,					Repertory.
	Ludhiana-142027.					
12.	Maharana Pratap	BHMS (50)	15-03-	16-03-	18-03-	Recommended for allowing admission
	Homoeopathic		2019	2019	2019	in I-BHMS Course for the session
	Medical College,					2019-20 with the intake capacity of 50
	Near Rishabh					seats in existing UG (BHMS) course.
	Enclave, Imlidih,					
	New Rajendra					
	Nagar, Raipur-001.					
13.	State LBS	BHMS (50)	15-03-	15-03-	18-03-	Recommended for allowing admission
	Homoeopathic		2019	2019	2019	in I-BHMS Course for the session
	Medical College	M.D.(Hom)				2019-20 with the intake capacity of 50
	and Hospital,	Mat. Med10				seats in existing UG (BHMS) course
	Phaphamau,					and 10 seats in M.D. (Hom) Course in
	Allahabad - 211021	D 1111 ( 2 / 2 - 1	10.05.	4400	10.02.55	the subject of Materia Medica.
14.	Dr. Allu	B.H.M.S.(50)	13.03.2	14.03.20	18.03.201	Recommended for allowing admission
	Ramalingaiah Govt.	M.D.(Hom)	019	19	9	in I-BHMS Course for the session
	Homoeopathic	Materia Medica–6				2019-20 with the intake capacity of 50
	Medical College,	Repertory - 6				seats in existing UG (BHMS) course
	D.No.26-1-11,	Organon - 6				and 04 seats each in existing 03 PG
	Near 'Y' Junction,					courses viz. Materia Medica, Repertory
	Rajahmundry-533					& Organon of Medicine subject to
	105. EG Dt					condition they will fulfil the shortfall in
						hospital staff and equipment, before the
						commencement of new session.

15.	Govt Homoeopathic Medical College, Karaparamba, Calicut, Kozhikode	B.H.M.S. (50)  M.D.(Hom.) Hom. Philosophy- 6 Mat. Medica - 6 Repertory-6 Practice of Medicine- 4	15-03- 2019	15-03- 2019	18-03- 2019	Recommended for allowing admission in I-BHMS Course with the intake capacity of 50 seats in existing UG (BHMS) course and 04 seats each in 04 existing M.D. (Hom) Courses in the subjects of Hom. Philosophy, Materia Medica, Hom. Repertory and Practice of medicine for the session 2019-20.
16.	Lokmanya Medical Foundation's Homoeopathic Medical College, Near Elpro Company, Behind Auditorium of P.C.M. Chinchwad, Pune-411 033.	B.H.M.S.(100)	18.03.2	19.03.20	22.03.201	Not Recommended for allowing admission in I-BHMS Course for the session 2019-20 due to doubtful IPD as per inspection report, details of which are as below: Hospital: Visitors reported that IPD admitted patients seem to be doubtful. Teachers or Consultants of Modern Medicine: 1. Radiologist not available. Hospital: 1. X-ray not available. 2. USG not available. Hospital Staff: 1. Surgeon and Obstetrician are on call. 2. Radiologist not available. 3. X-ray technician not available. 4. X-ray attendant not available. 5. Dark room attendant not available. Hospital Equipment: 1. Only 03 Stretchers with trolley are available against the requirement of 06. 2. Only 04 Oxygen Cylinder with stand available against the requirement of 06. 3. Only 03 Diagnostic set (ENT) available against the requirement of 06.
17.	Sarada Krishna Homoeopathy Medical College, Kulasekharam Distt. Kanyakumari- 629161	B.H.M.S. (100)  M.D.(Hom.) Organon-06 M.Medica-06 P. of Medicine-06 Paediatrics-06 Repertory -06	19.03.1	19.03.20 19	22.03.201 9	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course and M.D. (Hom) Course in the subject of Organon of Medicine with 04 seats, Materia Medica with 04 seats, Practice of Medicine with 06 seats, Paediatrics with 06 seats and Repertory with 04 seats as recommended in previous year.
18.	Maa Kalawati Homoeopathic Medical College & Hospital, Rajaulatu, Namkum, Ranchi- 834010	B.H.M.S.(100)	15.3.20 19	16.3.201	22.3.2019	The Executive Committee decided to re-inspect the College as the supportive documents with respect to the functioning of college & hospital were not found enclosed with the inspection report.

19.	Midnapore Homoeopathic Medical College and Hospital, P.O. and Dist. Midnapore-721 104.	B.H.M.S.(50)	18.3.20 19	19.03.20 19	22.3.2019	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course subject to fulfilment of shortfall in hospital staff & equipments before commencement of next session.
20.	Venkateswara Homoeopathic Medical College and Hospital No. 4/11, Samayapuram Main Road, Karambakkam, Porur, Chennai TN	B.H.M.S.(50)	18.3.20 19	18.3.201	22.3.2019	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course.
21.	Narayan Shree Homoeopathic Medical College, Clinical & Research Centre, Pushpa Nagar, Near Bhopal Rly. Station, Bhopal- 462 010.M.P.	B.H.M.S. (100)	18.03.2 019		22.03.201	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course subject to fulfilment of higher faculty in the department of Materia Medica, Obstetrics &Gynecology and Practice of Medicine before commencement of new session.
22.	Biju Pattnaik Homoeopathic Medical College, Berhampur-760 001 (Ganjam.).	B.H.M.S.(25)	15.03.2 019	18.03.20	22.03.201	Not Recommended for allowing admission in I-BHMS Course for the session 2019-20 due to substantial shortfall in regular & guest teaching faculty, hospital staff, hospital functioning and equipment level. Deficiencies reflected in the report of inspection are as under-Teaching staff:  1. 19 Full Time teachers available against the requirement of 24.  2. 2 Guest Faculty of Reader available against the requirement of 8.  3. No FT faulty of any cadre in Anatomy dept.  4. Only Reader cadre available in Physiology, Pathology, FMT, Surgery and Obs/Gyn.  5. No Reader or Lecturer available in Orgnaon dept.  6. No Professor or Reader available in community medicine and repertory  7. Correlation: As per table reported by visitor teacher in attendance and acquaintance is 16 but as per annexure it is 13 & 14 respectively.  8. Teachers or consultants of modern medicine: Pathologist, Anaesthetist, Physician, Ophthalmologist are not available

Hospital:	
1. Superintend Room/Sr.	Medical
officer/Staff nurse room	
Room/Store/Nursing st	
	.ation/Duty
room not available.	
2. Beds 25 but not funct	ioning, no
patient in IPD and Dist	ribution of
Beds not as per MSR.	
3. Average bed occupanc	w ner day
and total number of pati	
during the last one year i	is nil.
4. Average number of patie	ent per day
in OPD is 90 as reported	
however as per annexure	-
5. Clinical Laboratory for	n nospitai
not available.	
6. X ray reported as room	closed not
shown.	
7. ECG and USG closed	room not
shown.	100m not
8. Operation Theatre repo	
such room & one room	n is under
construction.	
9. Preparation room repor	ted as not
applicable at present.	.52 45 1101
	0
10. Post operative recovery	
Space for sterilized lin	en are not
available.	
11. Labor room reported	as non
functioning.	
	using staff
12. Surgeon room & Nur	rsing stair
room not available.	
13. Rehabilitation unit	including
Physiotherapy Yoga	are not
available.	
14. Hospital Kitchen,	Stores,
Ambulance are not avail	able.
Hospital staff:	
1. Medical Officer 01	available
against the requirement of	of 02.
2. Resident Medical Of	
available against the re	equirement
of 01.	
3. Surgeon, Obstetrici	ian &
pathologist are on part ti	me.
4. Anaesthetist not available	
5. House Physician not	
against the requirement of	
6. Dispenser not available	against the
requirement of 01	
7. Laboratory Technici	an, not
available against the re	
	Annement
of 01	
8. X-ray Technician/Ra	.diographer
not available	
9. Dresser not available a	against the
requirement of 01	
	ilabla
10. X-ray Attendant not ava	
11. Nursing Staff In-ch	
available against the re	equirement
of 01	
12. Nursing Staff not availa	ble against

 1		1	1	
				the requirement of 03
				13. Ward boys / Ayas 02 available on
				daily wages against the
				requirement of 04.
				14. Store Keeper not available against
				the requirement of 01
				15. Registration Clerk/Telephone
				Operator not available against the
				requirement of 01
				16. Yoga Expert not available
				17. Physiotherapist not available
				18. Dietician are not available against
				the requirement of 01
				19. Secretarial Staff, Accounts staff,
				Auxiliary Staff (Lab attendant,
				dark room attendant), Hospital
				reception Staff are not available
				20. In-Patient Department registration
				not available.
				21. Department wise OPD and IPD
				records not properly maintained.
				22. Medical record room not available.
				23. Laundry, Hospital catering are not
				available.
				24. Staff to maintain Watch & Ward
				Duties are on daily wages.
				Non-teaching & supportive staff:
				1. Administrative staff, Anatomy lab
				attendants, Physiology &
				Biochemistry lab technician,
				Physiology & Biochemistry lab
				attendants, Homoeopathic
				pharmacy lab attendants,
				Pathology & Microbiology lab
				technician, Pathology &
				Librarian, Library assistant are not
				available.
				Hospital equipment:
				2. Sterilisers 01(non functioning)
				available against the requirement
				of 02.
				3. B.P Instrument 03 available
				against the requirement of 05.
				4. Urine Pots, Bed Pans E.I not
				available against the requirement
				of 10 each respectively.
				5. Artery forceps, small and big
				reported as not shown.
				6. Back rest not available against the
				requirement of 02.
				7. Oxygen Cylinder with stand not
				available against the requirement
				of 02
				8. Dressing room (Big) not available
				against the requirement of 02.
				9. Diagnostic set (ENT) 1 available
				against the requirement of 02
				10. Infra-red Lamp not available
				against the requirement of 01
				11. Weighing Machine 1 available
				against the requirement of 02.
	,			

			Central library
			1. Subscribed and Back Issue journals
			are not available
			2. Capacity of Reading room is for 20
			students only not as per MSR.
			3. Reading room for Teaching
			Faculty is not available
			4. Photocopying facility and Internet
			Facility not available
			5. Cataloguing of books not done,
			6. Name & Qualification of librarian
			and, Name & Qualification of
			Library Assistant are not available
			Teaching departments
			Anatomy
			1. Dissection Tables with marble
			tops or stainless steel has been
			reported as not in use
			2. Dissection set complete are not
			available
			3. Saw for sectioning body and
			limbs not available against the
			requirement of 1
			4. Mummified bodies are not
			available
			5. Microscope (Medical) 06
			available against the requirement
			of 25
			6. College is not covered under the
			provision of anatomy Act
			Physiology And Biochemistry
			1. Medical Microscope 19 available
			against the requirement of 25
			2. Equipment for ESR estimation/
			westergren's pipette for ESR on
			stand 17 available against the
			requirement of 25
			3. Haematocrit tubes 3 available
			against the requirement of 30
			4. Auto Analyzer or Semi Auto
			Analyzer are not available against
			the requirement of 1
			against the requirement of 25
			6. Sphygmomanometer 13 available
			against the requirement of 25
			7. Stethoscope 6 available against
			the requirement of 25
			8. Clinical thermometer 14 against
			the requirement of 25
			9. Knee hammer 1 available against
			the requirement of 25
			10. Stethographs or pneumographs
			are not available against the
			requirement of 5
			11. Electrocardiograph (ECG
			Machine) are not available against
			requirement of 1
			=
			apparatus are not available against
			the requirement of 1
			13. Centrifuge (Medium speed) 1

	Τ	<u> </u>	<u> </u>	т	
					available against the requirement of 2
					14. Colorimeter (photo electric) 1
					available against the requirement
					of 2 15. Colour Perception lantern
					15. Colour Perception lantern (Edridge Green) is not available
					against the requirement of 1
					16. Incubator not available against
					the requirement of 1 17. Educational CD, DVD, Films,
					Slides and Audio Visual Aids are
					not available
					18. Perimeter not available against the requirement of 3
					19. Spirometer agaist the requirement
					of 1
					20. Tonometer not available against
					the requirement of 1 21. Handgrip dynamometer not
					available against the requirement
					of 1
					22. Bicycle Ergometer not available against the requirement of 1
					23. Facility for Animal Experiments
					demonstration with the help of
					<ul><li>audio Visual Aids not available</li><li>24. Electronic Monopan Balance not</li></ul>
					available against the requirement
					of 1
					25. Balance, chemical/ordinary 1 available against the requirement
					of 02.
					26. Water baths not available against
					the requirement of 02. 27. Urinometer 4 available against the
					requirement of 25.
					28. Hydrometer (0.700 to 1.00) 1
					available against the requirement of 02.
					29. Albuminometers 04 available
					against the requirement of 10.
					30. Glucometer & Thermometer not
					available against the requirement of 10 each.
					31. Colorimeter, Hot air oven
					(Electric), Double Distillation
					apparatus Glass, Centrifuge are not available against the
					requirement of 01 each.
					32. Wire gouge with asbestos, Centre
					hot plate, Stove, Rubber tubing are not available.
					33. pH meter not available against the
					requirement of 01.
					34. Biochemistry laboratory not been established separately.
					Pathology And Microbiology
					1. Water bath (Electric) not
					available against the requirement of 04.
L		<u> </u>			2. Haemocytometer with RBC &
•			ı — — I	l	•

_	1	Ī	ı	1	
					WBC pipettes 10 available
					against the requirement of 25.
					3. Anaerobic apparatus not available
					against the requirement of 02.
					4. ESR (Westergren/wintrobe) 02
					available against the requirement
					of 04.
					5. Colony Counter not available
					against the requirement of 01.
					6. Pathological Specimens 18
					available against the requirement
					of 25.
					Practice Of Medicine:
					1. Number of Equipments for
					identification & Total Number of
					Specimens are not available
					Community medicine:
					1. Hydrometer (Wet and dry bulb),
					Filter Pasteumchamberland
					(complet set) are not available
					against the requirement of 01 each.
					2. Slow sand filter model, Smokeless
					Chullah model, Rapid Sand filter
					model, Refrigerator are not
					available against the requirement
					of 01 each.
					3. Arrangements for visit of students
					are not done.
					4. Village not adopted.
					Homoeopathic Pharmacy
					1. Pill Tiles is 08 available against the
					requirement of 25.
					2. Porcelain dishes 15 available
					against the requirement of 25.
					3. Crucibles with tongs not available
					against the requirement of 25.
					4. Pestles and mortars 20 available
					against the requirement of 25.
					5. Water bath 03 available against the
					requirement of 25.
					6. Microscope 02 available against
					the requirement of 05.
					7. Glass apparatus for filtration with
					vacuum not available against the
					requirement of 02.
					8. Thin layer chromatography
					apparatus not available against the
					requirement of 01.
					9. PH meter not available against the
					requirement of 02.
					10. Stop watch 03 available against the
					requirement of 25.
					11. Hydrometer not available against
					the requirement of 05.
					12. Lactometer not available against
					the requirement of 05.
					13. Percolator, Macerator 01 available
					against the requirement of 05 each.
					14. Botanical slides not available.
					15. Dissecting Microscope not
					available against the requirement
					of 02

						<ol> <li>Distillation Apparatus not available against the requirement of 01.</li> <li>Pyknometer not available against the requirement of 02.</li> <li>Electronic meter &amp; Hot air oven not available against the requirement of 01 each.</li> <li>Chemical Balance not available against the requirement of 10.</li> <li>Total number of Animal specimens not available.</li> <li>License for procuring Alcohol/Spirit and Homoeopathic Pharmacopoeias are not available.</li> <li>Charts on History of Medicine not available.</li> <li>Repertory:</li> <li>Total Number of software 01 available against the requirement of 05.</li> </ol>
23.	Jeeyar Homoeopathic Medical College & Hospital, Srora, Nagar, Muchintal (V) (Po) Palamakula, Shamshabad (M) R.R. Dt	BHMS (100) For I-BHMS & continuation of III-BHMS & IV-BHMS Course.	19.03.2 019	19.03.20 19	25.03.201 9	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course and continuation of 3 <sup>rd</sup> BHMS and 4 <sup>th</sup> BHMS.
24.	Bhartiya Homoeopathic Medical College and Hospital, NH- 11, Agra- Fatehpur Sikri Road, Bhartpur-320001	BHMS-(40) Seats as per Ministry orders	18.03.2 019	19.03.20 19	25.03.201 9	Not Recommended for allowing admission in I-BHMS Course for the session 2019-20 due to non-appointment and shortfall in faculty as per records and non-appointment of required higher faculty in Dept. Of Surgery. Deficiencies reflected in the report of inspection are as under-Teaching Faculty:  1. No full time Professor/Reader is available in surgery department.  2. In correlation visitors reported as 36 in attendance and acquitance but as per annexure, 21 in attendance and 20 in acquitance. Hospital Staff:  1. Secretarial staff and hospital reception staff not available. Hospital Equipment:  1. Stretcher with trolley and Oxygen cylinder 4 are available against the requirement of 06.  Central Library:  1. Cataloguing of books not done.  Teaching Departments:  Anatomy:  1. Mummified bodies not available.  Physiology:  1. Haemocytometer 20 available

						against the requirement of 25.
						Homoeopathic Pharmacy:  1. License for procuring alcohol not available.  Repertory:  1. Software 03 available against the requirement of 5.
25.	Mahesh Bhattacharya Homoeopathic Medical College and Hospital, H.I.T. Road, Ichapur, Doomurjala Howrah-4.	B.H.M.S.(50) M.D.(Hom.) Repertory -6 Materia Medica -6	18.03.2 019	19.03.20 19	25.03.201	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course and M.D. (Hom) Course in the subject of Repertory and Materia Medica with 6 seats in each.
26.	Mangilal Nirban Homoeopathic Medical College and Research Institute, M.N.S. Hospital & Research Center, Bikaner-334001.	B.H.M.S.(75) M.D.(Hom.) Mat. Medica- 05 Repertory- 05 Organon -05	18.03.2 019	19.03.20 19	25.03.201 9	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 75 seats in existing UG (BHMS) course.  Recommended also for allowing admission during 2019-20 in M.D. (Hom) Course in the subject of Materia Medica and Organon with 03 seats each and Repertory with 05 seats.
27.	Smt. Kanchanbai Babulalji (KB.) Abad Homoeopathic Medical College, At & P.O. Neminagar, Chandwad, Dist. Nashik-423 101	BHMS(100) M.D.(Hom) Organon of Medicine - 3 Materia Medica-3 Repertory -3 Practice of Medicine - 3	19.03.2 019	19.03.20 19	25.03.201 9	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course and M.D. (Hom) Course in the existing subjects of Organon, Materia Medica, Repertory and Practice of Medicine with 03 seats in each subject.
28.	Devs Homoeopathic Medical College and Hospital, Devanagar, Ankireddypalli, Kesara Mandal-501- 301, R. R. Dist	B.H.M.S.(50)	19.03.2 019	19.03.20 19	25.03.201 9	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course subject to appointment of fulltime higher faculty in the department of Organon of Medicine.
29.	Ananya College of Homoeopathic, KIRC Campus, Ahmedabad Mahesana Highway, Kalol, Dist. Gandhinagar- 382721	B.H.M.S.(100)	23.03.2 019	23.03.20 19	25.03.201 9	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course subject to improvement of IPD functioning before commencement of new session.
30.	Patna Homoeopathic Medical College and Hospital, Ram Krishan Nagar, (Sorangpur), Patna- 800027.	B.H.M.S.(50)	23.03.2 019	23.03.20 19	25.03.201 9	Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course.

#### **Agenda Item No.12**

### <u>Consideration of Reports of Inspection of Homoeopathic Medical College, Akot Road, Akola, carried out under Court Order.</u>

The Executive Committee considered the matter and informed the office to re-examine the inspection Report and deferred for next Executive Committee meeting with all details of Hon'ble Court Orders.

#### Agenda Item No.12.1

### Consideration of Reports of Inspection of Shri Kamaxi Devi Homoeopathic Medical College, Hill Top, Shiroda, Goa-403103

The Executive Committee considered the matter and it decided as under:

"Recommended for allowing admission in I-BHMS Course for the Academic Session 2019-20 subject to fulfilment of conditions relating to IPD functioning before commencement of new session"

The Executive Committee directed the office to complete the actions on the decisions in these minutes immediately, keeping in view of urgency of the matters.

Meeting ended with the vote of thanks to the Chair.

Sd/-

(Dr. Kumar Vivekanand) Secretary

Attested

Sd/-

(Sh. Nilanjan Sanyal) Chairperson