MINUTES OF THE 20THMEETING OF THE EXECUTIVE COMMITTEE OF BOARD OF GOVERNORS OF CENTRAL COUNCIL OF HOMOEOPATHY HELD ON 12.04.2019 AND (Adjourned Meeting) ON 16.04.2019 AT NEW DELHI.

PRESENT

Sh. Nilanjan Sanyal
 Dr. Anil Kumari Malhotra
 Dr. Anil Khurana
 Member
 Member

Dr. Kumar Vivekanand - Secretary

Dr. D. Samba Murthy, Inspector and Shri Y.D. Vats, Asstt. Secretary (Admn.) were present to assist the Secretary during the meeting.

Agenda item No. 1

Confirmation of the Minutes of the 19th meeting of the Executive Committee of Board of Governors held on 05.04.2019 at New Delhi.

The Executive Committee confirmed the Minutes of last meeting held on 05.04.2019 at New Delhi as circulated.

Agenda item No. 2

Action taken Report on the minutes of the 19th meeting of Executive Committee of Board of Governors held on 05.04.2019 at New Delhi.

The Executive Committee noted the Minutes of last meeting held on 05.04.2019 and asked the office to provide the details of action taken in next meeting.

Agenda item No.3

Ministry's letter No.C.29012/01/2018-EP(IM-2) dated 06th March, 2019 regarding Legal fee to the advocates hired by CCH.

The Executive Committee considered the details of all the pending legal cases which have been received before & after constitution of BoG where payment of the advocates are pending. Committee discussed the matter in light of the Ministry's letter dated 06.03.2019 along with O.M. dated 01.10.2015 of Dept. of Legal Affairs as well as payments made by CCIM to its advocates and decided that the legal fee so fixed by the Council (per hearing/lump sum) prior to 08.06.2018, be paid to respective advocate. In the light of the decision taken by the BoG in its meeting held on 08.06.2018, the Executive Committee after considering the experience of the advocates engaged by the Council from time to time, further decided to restrict the legal fee of the all the Councils advocates w.e.f. 08.06.2018, to the fee fixed by the Dept. of Legal Affairs, Ministry of Law vide its O.M. dated 01.10.2015 under its table (B) for the Senior Central Govt. Standing Counsels.

So far as meaning of effective and non effective hearings is concerned, Committee asked Shri S.N. Tripathi, Legal Consultant to go to Ministry of Law to seek clarification in the matter.

All new cases may be assigned only to Govt. panel advocates and where there is no Govt. panel advocate, Council's Retainer Advocate may be deputed.

Agenda item No.4

A letter dated 05.04.2019 has been received from Ministry of AYUSH regarding guidelines of admission of students with "Special Disabilities" under the Rights of Persons with Disabilities Act, 2016 and time schedule of counselling with respect of admission in ASU&H UG course, of Homoeopathy.

The Executive Committee considered the letter of Ministry of AYUSH dated 05.04.2019 regarding amendments in relevant Regulations with respect to "specific disabilities" in the light of "Right of Persons with Disabilities Act, 2016" & time schedule of counselling and agreed in principle to amend the same.

Further, the Executive Committee also considered the time schedule of counselling prepared with consultation to CCIM for completion of the admission process for ASU&H courses which is to be notified in relevant UG Regulations.

The Executive Committee asked the office to place the both agenda before BoG for further consideration.

Agenda item No.5

A letter dated 05.03.2019 has been received from Ministry regarding counselling admission to the AYUSH- UG and PG Course for Academic Year 2019-2020.

The Executive Committee considered the letter of Ministry of AYUSH dated 05.03.2019 regarding amendments in UG & PG Degree Regulations with respect to clarification regarding counselling of admission to the UG & PG courses in Govt. Private and Deemed colleges.

The Executive Committee considered the amendment notified by the CCIM in this matter and agreed in principle to amend the same and asked the office to place the agenda before BoG for further consideration.

Agenda Item No.6

Agenda Item No.06

Consideration of Reports of Inspection of Homoeopathic Medical Colleges

| Sl. | Name of the College | Courses Run | Date of | Report | Report | Remarks |
|-----|--|----------------|------------|------------|-------------|---|
| No. | | and Intake | Inspection | Dispatched | received in | |
| | | Capacity | | on | CCH on | |
| 2. | MNR Homoeopathic Medical College & Hospital, 2-23B/350, Bhagyanagar Phase-III, Near HMT Hills Colony, Opp; JNTU, Kukatpally, Hyderabad-500085, | B.H.M.S. (100) | 19.03.2019 | 22.03.2019 | 25.03.2019 | Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course. |
| | Param Himalaya Homoeopathic Medical College & Research Centre, Khairi Road, Doiwala, Dehradun- 248140. | B.H.M.S.(60) | 19.03.2019 | 19.03.2019 | 25.03.2019 | Not Recommended for allowing admission in I-BHMS Course for the session 2019-20 due to lack of full time Professor / Reader in 4 subjects namely Organon of medicine, Practice of medicine, Community medicine & Repertory and other shortfall as per |

details in inspection report. Deficiencies reflected in the report of inspection are as under-Teaching faculty: No Full Time Professor/Reader in Organon, Practice of Medicine, of Medicine Community Repertory. Teachers & consultants of modern medicine: Radiologist/ Physician/ Ophthalmologist/ Paediatrician are not available. Hospital: USG not available. Surgeon room not available. Rehabilitation Unit including-Physiotherapy & Yoga not available. Hospital staff: Radiologist not available. Auxiliary staff - Dark Room Attendant not available. Non-teaching and supportive staff: Library Assistant 01 available against 02. Hospital equipment: Stretcher with trolley 01 available against 04. Sterilizers 01 available against 02. Artery forceps, small and big 06 available against 12. Oxygen cylinder with stand not available against 04. Diagnostic set (ENT) 01 available against 04. Chair trolley with wheels 01 available against 02. Central library: Library Assistant available 01 against 02. Teaching Departments: Anatomy: Mummified bodies not reported / not available. Cadaver not reported / not available. College covered under the provisions of Anatomy Act reported as Applied Physiology and biochemistry: Stethographs or pneumographs not available against the requirement of Perimeter not available against the requirement of 03. Bicycle Ergometer not available against the requirement of 01. Pathology And Microbiology: Anaerobic apparatus not available against the requirement of 02. High Speed Centrifuge for serological/Haematological work not available against the requirement of 01.

| | | | | | ESR (Westergren/ wintrobe) 02 available against the requirement of 04. Computer with accessories not available against the requirement of 01. Machine for estimation of blood sugar/serological test not available against the requirement of 01. Pathological Specimens not available against the requirement of 25. Models not available. Practice of medicine: Specimens and Models not available. Surgery: Specimens not available. Community Medicine: Smokeless Chullah model and Ideal well model not available against the requirement of 01 each. Arrangements for visits to health check up camps, water purification plants, milk pasteurization plants and industries not done. Homoeopathic pharmacy: Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 02. Alcoholometer 01 and Lactometer 01 available against 05 each Vehicle Alcohol Not available. License for procuring Alcohol/Spirit reported as Applied for. Educational tour during last year not done Repertory: Software 01 available against the requirement of 05. |
|--|---------------|------------|------------|------------|---|
| Parul Institute of Homoeopathy & Reserach, P.O. Limda, Tal. Waghodia, Dist. Vadodara-391760. | B.H.M.S.(100) | 23.03.2019 | 23.03.2019 | 25.03.2019 | Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course. |
| Orissa Medical College of Homoeopathy & Research, Sambalpur-768 001. | B.H.M.S. (25) | 18.03.2019 | 19.03.2019 | 25.03.2019 | Not Recommended for allowing admission in I-BHMS Course for the session 2019-20 due to shortfall in teaching faculty and drastic shortfall in IPD, hospital functioning and equipment level as per details in inspection report. Deficiencies reflected in the report of inspection are as under-Teaching staff: 16 Full time teachers (3 Professors, 5 Readers, 8 Lecturers) available against the requirement of 24. No Guest Faculty available against the requirement of 08. No professor or reader in Organon of |

| | Medicine, Pathology, Forensic |
|--|---|
| | Medicine, Surgery and Community Medicine. |
| | No Lecturer in Anatomy, Physiology, Pharmacy, Obstetrics and Repertory. |
| | Hospital: |
| | • Senior Medical Officer Room not |
| | available. |
| | Average Bed occupancy per day as reported by visitor is 6.6 and on |
| | calculation it is 6.49% which is less |
| | than required 30%. Total IPD 593Preparation room in Operation |
| | Theatre not available. |
| | Post-operative recovery room not available. |
| | Space for sterilized linen not |
| | available. |
| | Labour room not available.Surgeon room not available. |
| | Nursing staff room not available. |
| | Ambulance not available. Ambulance not available. |
| | Hospital Staff: Anesthetist not available. |
| | Obstetrician not available against the |
| | requirement of 01. |
| | Radiologist not available.House physician not available against |
| | the requirement of 02. |
| | X-ray technician not available.X-ray attendant not available. |
| | Storekeeper not available against the |
| | requirement of 01. |
| | Yoga expert not available.Physiotherapist not available. |
| | • Dietician not available against the |
| | requirement of 01. • Account staff not available. |
| | Dark room attendant not available. |
| | Hospital reception staff not available. |
| | Non-Teaching and Supportive Staff: |
| | Anatomy Lab Attendants , Physiology Discharge Lab Tackgridge |
| | & Biochemistry Lab Technician, Physiology & Biochemistry Lab |
| | Attendants, Homoeopathic Pharmacy |
| | Lab Attendants, Pathology & Microbiology Lab Technician, |
| | Pathology & Microbiology Lab |
| | Attendants, and Library Assistant not available. |
| | Hospital Equipment: |
| | • Stretcher with trolley 01 available |
| | against the requirement of 03. |
| | • Urine Pots 04 available against the requirement of 10. |
| | Bed Pans 02 available against the |
| | requirement of 10. • Suction Machine not available against |
| | the requirement of 02. |
| | Back Rest not available against the |

| requirement of 02. Oxygen Cylinder with so available against the require 03. Diagnostic Set (ENT) 01 against 03. Infra-red lamp not available the requirement of 01. Central Library: Name and qualification of Assistant not available. Teaching Departments: Anatomy: | ement of available e against |
|--|--|
| Dissection Tables available/reported agains requirement of 04. Medical Microscope 06 against the requirement of 24. Mummified bodies not availa Physiology and Biochemistry: Medical Microscope 10 | available .ble. available |
| Medical Microscope 10 against the requirement of 25. Equipment for estimation/Westergren's pip ESR on stand 10 available ag requirement of 25. Haematocrit tubes 20 against the requirement to 30. Haemoglobinometer 15 against the requirement of 25. Haemocytometer 09 available the requirement of 25. Stethoscope 20 available ag requirement of 25. Clinical Thermometer 02 against the requirement of 25. Clinical Thermometer 02 against the requirement of 25. Knee Hammer 02 available the requirement of 25. Stethographs or pneumogra available against the requirement of 25. Colorimeter not available against the requirement of 20. Colorimeter not available against the requirement of 01. Colour perception lante available against the require 01. Models not available. Perimeter not available. | ESR pette for gainst the available available against the available available available available available available against the available against the against the ainst the ain |
| Perimeter not available against requirement of 03. Spirometer, Tonometer, I dynamomter and Bicycle E not available against the req 01. Electronic Monoplan Balanca available against the require 01. Hydrometer not available against the require continuous properties. Hydrometer not available against requirement of 02. Hot air over, Double Di | Handgrip rgometer quirement ce is not ement of gainst the |

| T | 1 | |
|-------|------|--|
| | | apparatus Glass and pH Meter not available against the requirement of |
| | | 01. |
| | | Pathology and Microbiology: |
| | | • Hot air oven not available against the |
| | | requirement of 01. • Water Bath not available against the |
| | | requirement of 04. |
| | | • Chemical Reagents for |
| | | Histopathology not available.Incubator not available against the |
| | | requirement of 02. |
| | | Anaerobic apparatus and Stopwatch not available against the requirement of 02. |
| | | pH meter, High Speed Centrifuge for |
| | | serological/Hematological Work and Colony Counter not available against |
| | | the requirement of 01. |
| | | Material for preparation of media not available. |
| | | • Coplin Jars not available against the |
| | | requirement of 02. • Computer with accessories and |
| | | Machine for estimation of blood |
| | | sugar/serological test not available |
| | | against the requirement of 01.Pathological Specimens is not |
| | | available against the requirement of |
| | | 25.Models not available. |
| | | Forensic Medicine and Toxicology: |
| | | Vernier Calipers not available against the requirement of 01. |
| | | Practice of Medicine: |
| | | Total Number of Specimens and |
| | | models are not available. |
| | | Department of Surgery: |
| | | Total number of Specimens not available. |
| | | Community Medicine: |
| | | • Filter Pasteur Chamberland is not available against the requirement of |
| | | 01.Models not available. |
| | | • Information on Display regarding |
| | | Bio- Statistics not availableSlow Stand filter model/Filter model |
| | | not available against the requirement of 1 |
| | | • Smokeless Chullah Model not |
| | | available against the requirement of 1 |
| | | Refrigerator not available against the requirement of 1 |
| | | Village not adopted |
| | | Homoeopathic Pharmacy: |
| | | • Pill Tiles 18 available against the |
| | | requirement of 25 • Porcelain Dishes, Crucibles with |
| | | tongs and Pestles and mortars 20 |
| • | | |

| | | | | | | available against the requirement of 25 • Water Bath 12 available against the |
|----|---|---------------|------------|------------|------------|--|
| | | | | | | requirement of 25. Microscope 03 available against the requirement of 05. |
| | | | | | | • Glass apparatus for filtration with vacuum not available against the requirement of 02. |
| | | | | | | • Thin Layer chromatography apparatus not available against the requirement of 01. |
| | | | | | | • pH Meter 01 available against the requirement of 02. |
| | | | | | | • Stop Watch 01 available against the requirement of 25. |
| | | | | | | Hydrometer 01 available against the requirement of 05. |
| | | | | | | • Alcoholometer not available against the requirement of 05. |
| | | | | | | Lactometer, Percolator and Macerator 01 available against the requirement |
| | | | | | | of 05. • Dissecting Microscope is not available against the requirement of |
| | | | | | | 02.Pyknometer 01 available against the requirement of 02. |
| | | | | | | Hot Air Oven not available against |
| | | | | | | the requirement of 01. • Chemical Balance 04 available |
| | | | | | | against the requirement of 10.Models not available. |
| | | | | | | License for procuring Alcohol Spirit are not available. |
| | | | | | | Materia Medica : |
| | | | | | | Number of Specimens for identification is not available. Repertory: |
| | | | | | | • Total number of Computer 01 available against the requirement of 05. |
| | | | | | | • Total number of Software 02 available against the requirement of 05. |
| 5. | Swahid Jadav Nath Govt. | B.H.M.S. (50) | 19.03.2019 | 20.03.2019 | 25.03.2019 | Not Recommended for allowing |
| | Homoeopathic Medical College, Vill. Bagharbari, | | | | | admission in I-BHMS Course for the session 2019-20 due to substantial |
| | P.O. Khanapara, | | | | | shortfall in teaching faculty, OPD and |
| | Guwahati-781037 | | | | | hospital functioning and major deficiencies in equipment level. |
| | | | | | | deficiencies in equipment level. Deficiencies reflected in the report of |
| | | | | | | inspection are as under- |
| | | | | | | Teaching staff: • 20 Full time teachers (2 Professors, 4 |
| | | | | | | Readers and 14 Lecturers) available against the requirement of 24. |
| | | | | | | No Guest faculty available.No Full time faculty of any cadre |
| | | | | | | available in anatomy department. No Professor/Reader available in |

| 1 | 1 | | | 1 | mi i n i i c |
|-------|---|---|----------|----------|---|
| | | | | | Physiology, Pathology, Surgery, Community Medicine and Repertory. No Lecturer available in Forensic |
| | | | | | Medicine. Teachers or Consultants of Modern Medicine: Ophthalmologist and |
| | | | | | paediatrician not available. Hospital: |
| | | | | | Average number of patients per day in OPD is 84 against the requirement of 120. And total 25200. |
| | | | | | Hospital Staff: |
| | | | | | House Physician not available against the requirement of 02. Nursing staff in charge not available against the requirement of 01. Nursing staff 1 available against the |
| | | | | | requirement of 03. Dietician not available against the requirement of 01. |
| | | | | | Non-Teaching and Supportive Staff: |
| | | | | | Other supportive staff not available. |
| | | | | | Hospital Equipment: |
| | | | | | Stretcher with trolley 03 available against the requirement of 04. Oxygen cylinder with stand 03 |
| | | | | | available against the requirement of 04.Diagnostic set (ENT) 03 available |
| | | | | | against the requirement of 04. |
| | | | | | Central Library: |
| | | | | | Complimentary issues of Journal not available. Library Assistant is reported as BA |
| | | | | | Teaching Departments Anatomy: |
| | | | | | Mummified bodies and cadavers are available at Govt Medical College |
| | | | | | College has been applied to be covered under the provision of Anatomy act. |
| | | | | | Physiology and Biochemistry: |
| | | | | | Medical Microscope 20 available against the requirement of 25. Haematocrit tubes 10 available |
| | | | | | against the requirement 30. Stehthographs and Pneumographs 02 |
| | | | | | available against the requirement 05.Glass distillation (Double) apparatus |
| | | | | | not available against the requirement of 01.Educational CD's, DVD and Films |
| | | | | | not available. Perimeter not available against the |
| | | | | | requirement of 03. Hand grip Dynamometer not available against the requirement of |
| | | | | | 01. Double distillation apparatus glass not |
| | | 1 | <u> </u> | <u> </u> | 2 30010 distillation apparatus glass not |

| | 1 | | 1 | | | |
|----|---|---------------------------------|------------|------------|------------|---|
| | | | | | | available against the requirement of 01. |
| | | | | | | Pathology and Microbiology: |
| | | | | | | • Water Bath (Electric) 03 available |
| | | | | | | against the requirement of 04. |
| | | | | | | Haemocytometer with RBC and WBC pipets 23 available against the |
| | | | | | | requirement of 25. |
| | | | | | | Anaerobic apparatus not available |
| | | | | | | against the requirement of 2.Microscope with Oil emersion 21 |
| | | | | | | available against the requirement of 25. |
| | | | | | | Pathological specimens not available |
| | | | | | | against the requirement of 25. |
| | | | | | | Models not available. |
| | | | | | | Practice of Medicine |
| | | | | | | Specimens not available. |
| | | | | | | Community Medicine: |
| | | | | | | • Filter Pasteum Chamberland (complete set) not available against |
| | | | | | | the requirement of 01.Display material of Biostatics |
| | | | | | | Research Methodology and Sociology |
| | | | | | | not reported.Visit of students to industries not |
| | | | | | | done. |
| | | | | | | Village not adopted. |
| | | | | | | Obstetrics & Gynaecology: |
| | | | | | | • Specimens not available. |
| | | | | | | Homoeopathic Pharmacy: |
| | | | | | | • Glass apparatus for filtration with vacuum 01 available against the |
| | | | | | | requirement of 02. |
| | | | | | | License for procuring Alcohol/Spirit has been applied for. |
| | | | | | | Repertory: |
| | | | | | | • Computers 03 available against the |
| | | | | | | requirement of 05. |
| | | | | | | • Software 01 available against the requirement of 05. |
| | | | | | | Details of computer lab not provided. |
| 6. | Baroda Homoeopathic | B.H.M.S.(100) | 23.03.2019 | 23.03.2019 | 25.03.2019 | Recommended for allowing admission in |
| | Medical College, Near Sonar Kui, Opp. Xavier | MD(Hom) | | | | I-BHMS Course for the session 2019-20 with the intellegence capacity of 100 seets in |
| | Technical Institute, | Organon - 6 | | | | with the intake capacity of 100 seats in existing UG (BHMS) course. |
| | Sevasi-Sindhrot Road, | Mat. Medica-6 | | | | Also recommended for allowing |
| | Sevasi, Vadodara391101 | Repertory - 6 P. of Medicine -3 | | | | admission during 2019-20 in M.D. |
| | | Paediatrics - 3 | | | | (Hom) Course in 05 subjects namely |
| | | | | | | Organon of Medicine -04 seats, Materia Medica -04 seats, Repertory -04 seats, |
| | | | | | | Practice of Medicine -03 seats and |
| | | | | | | Paediatrics -03 seats. |
| 7. | Aarihant Homoeopathic | B.H.M.S.(100) | 23.03.2019 | 23.03.2019 | 26.03.2019 | Recommended for allowing admission in |
| | Medical College & | , , | | | | I-BHMS Course for the session 2019-20 |
| | Research Institute, At | | | | | with the intake capacity of 100 seats in |
| | Bhoya Rathod, Opp. Iffco | | | | | existing UG (BHMS) course subject to |
| | Adalaj-Sertha Road, | | | | | appointment of one teacher and |

| | Gandhinagar-382420. | | | | | improvement in IPD functioning before |
|----|--|---------------|------------|------------|------------|---|
| | and the second s | | | | | the commencement of new session. |
| 8. | Shree Swaminarayan Homoeopahy College Shree Swaminarayan Vishwa Mangal Gurukul Trust, Nr. Ahmedabad- Mehsana National Highway, At & PO-Saij, Kalol, Dist. Gandhinagar- 382721 | B.H.M.S.(100) | 23.03.2019 | 23.03.2019 | 25.03.2019 | Not Recommended for allowing admission in I-BHMS Course for the session 2019-20 due to lack of Guest Faculty and shortfall in hospital functioning and in teaching departments. Deficiencies reflected in the report of inspection are as under-Teaching Faculty: |
| | 502121 | | | | | 26 Full time (04 Professor, 10 Reader and 12 Lecturer) available against the requirement of 28. No Guest Faculty available against the requirement of 12. Neither professor nor reader in community medicine No Full time professor available in Repertory. Hospital: Average Bed occupancy per day and total no. of patients in IPD reported is |
| | | | | | | 48.09% and 4467 respectively but as per annexure it is 13.31% and 1215 respectively. |
| | | | | | | Hospital Equipment:Diagnostic set ENT not available |
| | | | | | | against the requirement of 04. |
| | | | | | | Central Library: 01 Library assistant available against the requirement of 02. |
| | | | | | | Teaching Departments Anatomy: Mummified bodies not available. |
| | | | | | | Physiology and Biochemistry: |
| | | | | | | • Tuning Forks to test hearing not available against the requirement of 01. |
| | | | | | | Facility for Animal Experiments demonstration with the help of Audio- visual Aids not available. |
| | | | | | | Pathology and Microbiology: Pathological Specimens not available. |
| | | | | | | Practice of Medicine: |
| | | | | | | Equipments for identification and specimens not available. |
| | | | | | | Surgery: Specimens not available. |
| | | | | | | Community Medicine: • Material Concerning Communicable |
| | | | | | | diseases, Diet, Prophylactics, National Health Programmes not reported. |
| | | | | | | Information on display immunization, Community health, family welfare, bio-statistics, Research Methodology, Sociology not reported. |

| | | | | | | Refrigerator not available against the |
|-----|--|-------------------------------|------------|------------|------------|---|
| | | | | | | requirement of 01. |
| | | | | | | Homoeopathic Pharmacy: |
| | | | | | | • Pill tiles 05 available against the requirement of 25. |
| | | | | | | • Stop Watch 24 available against the |
| | | | | | | requirement of 25. • Books in departmental library and |
| | | | | | | models not available. |
| | | | | | | Plants on pots and irrigation facility in herbal garden not reported. |
| | | | | | | Repertory: Software 01 available against the requirement of 05. |
| 9. | A. M. Shaikh | B.H.M.S.(100) | 23.03.2019 | 23.03.2019 | 26.03.2019 | Recommended for allowing admission in |
| | Homoeopathic Medical College, Nehru Nagar, | M.D.(Hom.) | | | | I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in |
| | Belgaum-590 010 | Organon -3 | | | | existing UG (BHMS) course and also for |
| | | Mat. Medica-3 Repertory -3 | | | | allowing admission in M.D.(Hom) |
| | | P. of Medicine-3 | | | | Course in the subjects of Organon of Medicine, Materia Medica, Repertory, |
| | | Paediatrics -3 | | | | Practice of Medicine and Paediatrics with |
| | | | | | | 03 seats in each subject. |
| 10. | Sri Adi Shiva Satguru Ali Saheb Shivaaryula | B.H.M.S.(100) | 23.03.2019 | 24.03.2019 | 26.03.2019 | Recommended for allowing admission in I-BHMS Course for the session 2019-20 |
| | Homoeopathic Medical | | | | | with the intake capacity of 100 seats in |
| | College, Thimmapuram, | | | | | existing UG (BHMS) course. |
| | Guntakal-515802, Ananthapuram Dt | | | | | |
| | • | | | | | |
| 11. | S. B. Shirkoli Homoeopathic Medical | BHMS(50) | 23.03.2019 | 23.03.2019 | 26.03.2019 | To be re-inspected in view of lack of information about facilities available in |
| | College, Anant Vidya | | | | | the departments. |
| | Nagar, P.B. No.16, | | | | | _ |
| | Sankeshwar-591 313, Dist. Belgaum. | | | | | |
| | | | | | | |
| | Lalitaben Ramniklal Shah Homoeopathic Medical | B.H.M.S.(100) | 25.03.2019 | 25.03.2019 | 27.03.2019 | Recommended for allowing admission in I-BHMS Course for the session 2019-20 |
| | Homoeopathic Medical College at Gardi | | | | | with the intake capacity of 100 seats in |
| | Vidyapith, Kalawad | | | | | existing UG (BHMS) course. |
| | Road, Village Anandpar- | | | | | |
| | 361162, Rajkot. | | | | | |
| 13. | Shree Mahalaxmi Mahila | B.H.M.S.(100) | 25.03.2019 | 25.03.2019 | 27.03.2019 | Recommended for allowing admission in |
| | Homoeopathic Medical College, Beside Gujarat | | | | | I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in |
| | Tractors Nr. Vishwamitri | | | | | existing UG (BHMS) course. |
| | Bridge, Munjanaluda | | | | | |
| | Lalbag Road, Vadodara-390011. | | | | | |
| 1.4 | State K.G.K | риме (40) | 25.03.2019 | 26.03.2019 | 27.03.2019 | Not Recommended for allowing |
| 14. | Homoeopathic Medical | B.H.M.S. (40) | 23.03.2019 | 20.03.2019 | 27.03.2019 | admission in I-BHMS Course for the |
| | College and Hospital, | | | | | session 2019-20 due to total lack of |
| | Rly. Line Par, | | | | | Guest faculty, non-appointment of full |
| | Moradabad- 001. | | | | | time higher faculty in 05 departments of |

Physiology, Pathology, FMT, Obstetrics/ Gynecology and and Repertory considerable shortfall in hospital, other departments and equipments level. Deficiencies reflected in the report of inspection are as under-Teaching Faculty: No Guest available against the requirement of 08. No Professor or Reader Physiology, Pathology, Forensic Medicine Toxicology & Obstetrician/Gynaecology and Repertory. Visitors have reported that there is Demonstrator in department of Anatomy which is not eligible. Hospital: Average Bed occupancy per day and average no. of patients per day in OPD calculated for 11 month by visitors and it couldn't be verified for want of annexure. Superintendent Room/Senior Medical Officer Room/Dressing Room/Doctor Duty Room is not available Separate Clinical Laboratory for Hospital is not available. ECG and USG not available. Operation Theatre, Preparation Room, Post-Operative Recovery Room, Space for sterilized linen, Labour Room and Surgeon Room is not available. Rehabilitation Unit includingand Physiotherapy Yoga available. Hospital Kitchen is not available. Ambulance is not available. Hospital Staff: Senior Medical Officer is not available against the requirement of Anaesthetist not available. Laboratory Technician is reported as not separate Physiotherapist is not available against the requirement of 01. Dietician (Part Time) is not available against the requirement of 01 Secretarial Staff and Accounts Staff are reported as common for college and hospital. Auxiliary Staff-Lab Attendant and Dark Room Attendant is not available. Staffs to maintain Laundry and Hospital Catering are not available. Hospital Equipment: Urine Pots, male and female 04 available against the requirement of

| 10. Bed Pans E.I. 02 available against the requirement of 10. Back rest not available against the requirement of 02. Infra-red lamp not available against the requirement of 01. Central Library Subscribed Journals is not available. Internet Facility is not available. Teaching Departments Anatomy: |
|---|
| requirement of 10. Back rest not available against the requirement of 02. Infra-red lamp not available against the requirement of 01. Central Library Subscribed Journals is not available. Internet Facility is not available. Teaching Departments Anatomy: |
| requirement of 02. Infra-red lamp not available agains the requirement of 01. Central Library Subscribed Journals is not available. Internet Facility is not available. Teaching Departments Anatomy: |
| Infra-red lamp not available agains the requirement of 01. Central Library Subscribed Journals is not available. Internet Facility is not available. Teaching Departments Anatomy: |
| the requirement of 01. Central Library Subscribed Journals is not available. Internet Facility is not available. Teaching Departments Anatomy: |
| Subscribed Journals is not available. Internet Facility is not available. Teaching Departments Anatomy: |
| • Internet Facility is not available. Teaching Departments Anatomy: |
| Teaching Departments Anatomy: |
| Anatomy: |
| |
| Storage tanks to hold cadavers an |
| Cadavers are not available. |
| Mummified bodies not available. Diagrams/Cadavers are not available. |
| College to be covered under the covered und |
| provision of the anatomy act is no reported by visitor. |
| Physiology and Biochemistry: |
| Auto Analyzer or Semi Auto Aalyze |
| is not available against th |
| requirement of 01. Sphygmomanometer 16 available |
| against the requirement of 25. |
| • Stethoscope 15 available against the requirement of 25. |
| • Clinical thermometer (Digital) 1 |
| available against the requirement of 25. |
| • Knee Hammer 06 available against the requirement of 25. |
| • Stethographs or pneumographs 0 |
| available against the requirement of 05. |
| Electronic Stop Watches 01 available |
| against the requirement of 04. Glass Distillation apparatus no |
| available against the requirement of 01. |
| • Models not available. |
| Tonometer, Handgrip and Bicycl France to the control of the |
| Ergometer are not available against the requirement of 01. |
| • Facility for Animal Experiment |
| demonstration with the help of Audio visual Aids not available. |
| • Urinometer 12 available against th |
| requirement of 25. Glucometer 04 available against the |
| requirement of 10. |
| Double Distillation apparatus Glas not available against the requirement |
| of 01. |
| Stove not available. |
| Pathology and Microbiology: |
| Chemical Reagents for Histopathology is not available. |
| Haemocytometer with RBC & WBo |
| Pipettes 15 available against th |
| requirement of 25. |

| against the requirement of 25. Anaerobic Apparatus not available against the requirement of 102. Material for preparation of media and Stain not available. Pathological Specimens not available against the requirement of 25. Models are not available against the requirement of 25. Models not available against the requirement of 10. Specimens-(Organic, Inorganic, Poisons and Chemicals, not available against the requirement of 10. Specimens-(Organic, Inorganic, Poisons and Chemicals, not available against the requirement of 12. Department of Practice of Medicine: Specimens not available. Community Medicine: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available individuals of available against the requirement of 11. Materials concerning Prophylactics not available not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements of the Arrangements of Special dishes 20 available against the requirement of 25. Parcelain dishes 20 available against the requirement of 25. Microscope 02 available against the requirement of 25. Microscope 03 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 05. Thin layer chromosopy apparatus not available against the requirement of 05. Septiment of 05. Septiment of 05. Septiment of 05. Septiment of 06. Septiment of 07. Delimination of 07. Septiment of 08. Se | | | 1 | 1 | |
|--|--------------|-----|---|----------|---------------------------------------|
| Anaerobic Apparatus not available against the requirement of O2. Material for preparation of media and Stain not available. Pathological Specimens not available against the requirement of 25. Models are not available. Forensie Medicine and Toxicology: Models not available against the requirement of 10. Specimens-(Organic, Inorganic, Prisons and Chemicals) not available against the requirement of 35. Department of Practice of Medicine: Specimens not available. Obstetrics and Gynaecology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available against the requirement of 1. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students of water Purification Plant and Industries are not done. Homocopophtic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Microscope 02 available against the requirement of 27. Thin layer chromolography apparatus not available against the requirement of 25. Thin layer chromolography apparatus not available against the requirement of 25. Thin layer chromolography apparatus not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. Distillation Apparatus and available against the requirement of 02. | | | | • | Haemoglobinometer 15 available |
| against the requirement of 02. Material for preparation of media and Stain not available. Pathological Specimens not available against the requirement of 25. Models not available against the requirement of 10. Forensic Medicine and Toxicology: Models not available against the requirement of 10. Specimens-(Organic, Inorganic, Poisons and Chemicals) not available against the requirement of 10. Specimens of Organic, Inorganic, Poisons and Chemicals) not available against the requirement of 15. Department of Practice of Medicine: Specimens not available. Obstetries and Gynuccology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for what of the parameter of the requirement of 25. Porcelain dishes 25 available against the requirement of 25. Water bath 06 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 05. This layer chromatography apparatus not available against the requirement of 02. This layer chromatography apparatus not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. | | | | | |
| Material for preparation of media and Statin not available. Pathological Specimens not available against the requirement of 25. Models are not available. Forensic Medicine and Toxicology: Models not available against the requirement of 10. Specimens-(Organic, Inorganic, Poisons and Chemicals) not available against the requirement of 35. Department of Practice of Medicine: Specimens not available. Obstetrics and dynaecology: Specimens not available. Obstetrics and dynaecology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available against the requirement O1. Materials concerning Prophylactics not available against the requirement O1. Materials concerning Prophylactics not available against the requirement of one of the property of the propert | | | | ľ | |
| Stain not available. Pathological Specimens not available against the requirement of 25. Models are not available. Forensic Medicine and Toxicology: Models not available against the requirement of 10. Specimens-Organic, Inorganic, Prosons and Chemicals) not available against the requirement of 35. Department of Fractice of Medicine: Specimens not available. Obstetrics and Gynaecology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available against the requirement of 1. Materials concerning Prophylactics not available against the requirement of 1. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Wuter Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 25. Microscope 03 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Stop Watch 2 available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. | | | | | |
| Pathological Specimens not available against the requirement of 25. Models are not available. Forensic Medicine and Toxicology: Models not available against the requirement of 10. Specimens-Organic, Inorganic, Poisons and Chemicals) not available against the requirement of 35. Department of Practice of Medicine: Specimens not available. Obstetries and Gynaccology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available not available against the requirement 01. Materials concerning Prophylactics not available not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homocopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with avacuum not available against the requirement of 07. Glass apparatus for filtration with avacuum available against the requirement of 07. Thin layer chromacography apparatus not available against the requirement of 02. Thin layer chromacopaphy apparatus not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. | | | | | |
| against the requirement of 25. Models are not available. Forensic Medicine and Toxicology: Models not available against the requirement of 10. Specimens-(Organic, Inorganic, Poisons and Chemicals) not available against the requirement of 35. Department of Practice of Medicine: Specimens not available. Obstetrics and Gynaecology: Specimens not available. Community Medicine: Filter Pasteum Chambedand not available against the requirement 01. Materials concerning Prophylactics not available against the requirement 01. Materials concerning Prophylactics act Research Methodology are not displayed. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not displayed. Homocopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Water bath 06 available against the requirement of 05. Glass apparatus for filtration with avacuum not available against the requirement of 05. Glass apparatus for filtration with avacuum to available against the requirement of 05. Glass apparatus for filtration with avacuum or available against the requirement of 05. Glass apparatus for filtration with avacuum or available against the requirement of 05. Thin layer chromadography apparatus not available against the requirement of 05. Thin layer chromadography apparatus not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 20. Distillation Apparatus not available against the requirement of 20. Distillation Apparatus not available against the requirement of 20. Pyknometer not available against the | | | | | |
| Models not available. Forensic Medicine and Toxicology: Models not available against the requirement of 10. Specimens-Organic. Inorganic, Poisons and Chemicals) not available against the requirement of 35. Department of Practice of Medicine: Specimens not available. Obstetrics and Gynaecology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available against the requirement of 1. Materials concerning Prophylactics not available against the requirement of 1. Materials concerning Prophylactics not available on the requirement of 2. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 07. Glass apparatus for filtration with vacuum no stallable against the requirement of 07. Thin layer chromatography apparatus not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. | | | | | |
| Forensic Medicine and Toxicology: Models not available against the requirement of 10. Specimens-(Organic, Inorganic, Poisons and Chemicals) not available against the requirement of 35. Department of Practice of Medicine: Specimens not available. Obstetrics and Gynaccology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homocopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath of available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 07. Thin layer chromatography apparatus not available against the requirement of 01. Ph meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 01. Ph meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 03. Dissecting Microscope 01 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 03. Pyknometer of 01. Pyknometer of 03. Pyknometer of 01. Pyknometer of 01. Pyknometer of 03. Pyknometer of 01. Pyknometer of 01. Pyknometer of 01. Pyknometer of 01. | | | | | |
| Models not available against the requirement of 10. Specimens (Organic. Inorganic, Poisons and Chemicals) not available against the requirement of 33. Department of Practice of Medicine: Specimens not available. Obstetrics and Gynaccology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available not available not available not available against the requirement of 10. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homocopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath of available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 07. Thin layer chromatography apparatus not available against the requirement of 07. Stop Watch 02 available against the requirement of 07. Stop Watch 02 available against the requirement of 07. Stop Watch 02 available against the requirement of 07. Stop Watch 02 available against the requirement of 07. Dissecting Microscope 01 available against the requirement of 07. Dissecting Microscope 01 available against the requirement of 07. Pyknometer not available against the requi | | | | | iviodels are not available. |
| requirement of 10. • Specimens (Organic, Norganic, Poisons and Chemiculs) not available against the requirement of 35. Department of Practice of Medicine: • Specimens not available. Obstetrics and Gynaecology: • Specimens not available. Community Medicine: • Filter Pasteum Chamberland not available against the requirement 01. • Materials concerning Prophylactics not available against the requirement 01. • Materials concerning Prophylactics not available. • Information on Bio-statistics & Research Methodology are not displayed. • Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: • Pill tiles not available against the requirement of 25. • Porcelain dishes 20 available against the requirement of 25. • Water band of available against the requirement of 25. • Microscope 02 available against the requirement of 05. • Glass appartures for filtration with vacuum not available against the requirement of 07. • Glass appartures for filtration with vacuum not available against the requirement of 07. • Thin layer chromatography apparatus not available against the requirement of 02. • Stop Water band available against the requirement of 02. • Stop Water O2 available against the requirement of 02. • Stop Water O3 available against the requirement of 02. • Stop Water O4 available against the requirement of 02. • Distallation available against the requirement of 02. • Distallation available against the requirement of 03. • Dissecting Microscope 01 available against the requirement of 03. • Dissecting Microscope 01 available against the requirement of 03. • Dissecting Microscope 01 available against the requirement of 04. • Pyknowten or available against the requirement of 05. | | | | | Forensic Medicine and Toxicology: |
| Specimens-(Organic, Poisons and Chemicals) not available against the requirement of 35. Department of Practice of Medicine: Specimens not available. Obstetrics and Gynaecology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available not available against the requirement O1. Materials concerning Prophylactics not available not available against the requirement of 01. Materials concerning Prophylactics not available. | | | | • | |
| Poisons and Chemicals) not available against the equirement of 25. Poisons not available. Obsterries and Gynaceology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pilt tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 05. Hand the available against the requirement of 05. Water bath 06 available against the requirement of 05. Jack part of 05. Jack part of 05. Jack part of 05. Jack part of 06. Physicone of 07. Physicone of 07. Physicone of 07. Physicone of 08. Possecting Microscope 01 available against the requirement of 05. Distillation Apparatus not available against the requirement of 25. | | | | | • |
| against the requirement of 35. Department of Practice of Medicine: • Specimens not available. Obstetrics and Gynaecology: • Specimens not available. Community Medicine: • Filter Pasteum Chamberland not available not available against the requirement 01. • Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. • Arrangements for visit of students for Water Purification Plant and Industries are not done. Homocopathic Pharmacy: • Pill tiles not available against the requirement of 25. • Porcelain dishes 20 available against the requirement of 25. • Water bath 06 available against the requirement of 05. • Microscope 02 available against the requirement of 05. • Glass apparatus for filtration with vacuum not available against the requirement of 07. • Class apparatus for filtration with vacuum not available against the requirement of 07. • Thin layer chromatography apparatus not available against the requirement of 07. • Thin layer chromatography apparatus not available against the requirement of 07. • Pill meter not available against the requirement of 07. • Stop Watch 02 available against the requirement of 05. • Dissecting Microscope 01 available against the requirement of 05. • Dissecting Microscope 01 available against the requirement of 05. | | | | • | |
| Department of Practice of Medicine: Specimens not available. Obstetrics and Gynaecology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available not available not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 02. Microscope 02 available against the requirement of 02. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Dissillation Apparatus not available against the requirement of 02. Dissillation Apparatus not available against the requirement of 02. | | | | | |
| Specimens not available. Obstetrics and Gynaecology: Specimens Ned available. Community Medicine: Filter Pasteum Chamberland not available not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water but 06 available against the requirement of 05. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 03. Pilm the requirement of 03. Distillation Apparatus not available against the requirement of 03. Distillation Apparatus not available against the requirement of 03. | | | | | |
| Obstetrics and Gynaecology: Specimens not available. Community Medicine: Filter Pasteum Chamberland not available not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 03. Pissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. Distillation Apparatus not available against the requirement of 03. Pyknometer not available against the | | | | | _ |
| Specimens not available. Community Medicine: Filter Pasteum Chamberland not available not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Materioscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 07. Thin layer chromatography apparatus not available against the requirement of 07. Thin layer chromatography apparatus not available against the requirement of 07. Stop Watch 02 available against the requirement of 07. Stop Watch 02 available against the requirement of 07. Stop Watch 02 available against the requirement of 08. Stop Watch 02 available against the requirement of 09. Stop Watch 02 available against the requirement of 09. Stop Watch 02 available against the requirement of 09. Dissecting Microscope 01 available against the requirement of 09. Dissecting Microscope 01 available against the requirement of 09. | | | | | Specimens not available. |
| Specimens not available. Community Medicine: Filter Pasteum Chamberland not available not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Materioscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 07. Thin layer chromatography apparatus not available against the requirement of 07. Thin layer chromatography apparatus not available against the requirement of 07. Stop Watch 02 available against the requirement of 07. Stop Watch 02 available against the requirement of 07. Stop Watch 02 available against the requirement of 08. Stop Watch 02 available against the requirement of 09. Stop Watch 02 available against the requirement of 09. Stop Watch 02 available against the requirement of 09. Dissecting Microscope 01 available against the requirement of 09. Dissecting Microscope 01 available against the requirement of 09. | | | | | Obstetrics and Gynaecology: |
| Community Medicine: Filter Pasteum Chamberland not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Stoy Watch 02 available against the requirement of 02. Stoy Watch 02 available against the requirement of 02. Stoy Watch 02 available against the requirement of 02. Stoy Watch 02 available against the requirement of 02. | | | | | |
| Filter Pasteum Chamberland not available not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 05. Thin layer chromatography apparatus not available against the requirement of 01. Ph meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. | | | | | • |
| available not available against the requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath of available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Thin layer chromatography apparatus not of 01. PH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | |
| requirement 01. Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Thin layer chromatography apparatus not of 01. PH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the Pyknometer not available against the Py | | | | • | |
| Materials concerning Prophylactics not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. | | | | | |
| not available. Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Stop Watch 02 available against the requirement of 01. PH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. | | | | | • |
| Information on Bio-statistics & Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Microscope 03 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. Dissecting thicroscope 01 available against the requirement of 02. Dissecting thicroscope 01 available against the requirement of 02. | | | | • | |
| Research Methodology are not displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 00. Thin layer chromatography apparatus not available against the requirement of 01. PH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 02. | | | | | |
| displayed. Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. PH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. | | | | ľ | |
| Arrangements for visit of students for Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. PH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. | | | | | |
| Water Purification Plant and Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. PH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 05. Dissecting Microscope 01 available against the requirement of 05. Distillation Apparatus not available against the requirement of 07. Pyknometer not available against the | | | | | |
| Industries are not done. Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 00. Thin layer chromatography apparatus not available against the requirement of 01. PH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Stop Watch 02 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. | | | | | |
| Homoeopathic Pharmacy: Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 01. pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | |
| Pill tiles not available against the requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. PH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the requirement of 01. | | | | | |
| requirement of 25. Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. PH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | |
| Porcelain dishes 20 available against the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the requirement of 01. | | | | • | |
| the requirement of 25. Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. | | | | | |
| Water bath 06 available against the requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Dissillation Apparatus not available against the requirement of 01. Pyknometer not available against the requirement of 01. | | | | ' | |
| requirement of 25. Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Dissillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | |
| Microscope 02 available against the requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | ľ | |
| requirement of 05. Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | |
| Glass apparatus for filtration with vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | [| |
| vacuum not available against the requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | |
| requirement of 02. Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | |
| Thin layer chromatography apparatus not available against the requirement of 01. pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | |
| not available against the requirement of 01. • pH meter not available against the requirement of 02. • Stop Watch 02 available against the requirement of 25. • Dissecting Microscope 01 available against the requirement of 02. • Distillation Apparatus not available against the requirement of 01. • Pyknometer not available against the | | | | | |
| pH meter not available against the requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | not available against the requirement |
| requirement of 02. Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | of 01. |
| Stop Watch 02 available against the requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | • | |
| requirement of 25. Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | |
| Dissecting Microscope 01 available against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | • | |
| against the requirement of 02. Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | |
| Distillation Apparatus not available against the requirement of 01. Pyknometer not available against the | | | | | |
| against the requirement of 01. • Pyknometer not available against the | | | | | |
| Pyknometer not available against the | | | | [| |
| | | | | | |
| requirement of 02 | | | | [| requirement of 02. |
| Hot Air Oven not available against | | | | | |
| the requirement of 01. | | | | [| |
| Models are not available. | | | | | |
| License for producing Alcohol/Spirit | | | | | |
| | <u> </u> | L L | | J | I 9 |

| | | | | | | is not available. No Educational tour was conducted |
|-----|--|---|------------|------------|------------|--|
| | | | | | | last year. |
| 15. | G.D. Memorial Homoeopathic Medical College and Hospital, East Ram Krishna Nagar, P.O. Jaganpura Patna - 800 027 | B.H.M.S.(100) MD (Hom) Organon of Medicine - 6 Hom. Materia Medica - 6 Repertory -6 Pharmacy - 6 Practice of Medicine - 6 Paediatrics - 6 Psychiatry- 6 | 23.03.2019 | | 28.03.2019 | Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course. Recommended also for allowing admission during 2019-20 in M.D. (Hom) Course in 07 subjects namely Organon of Medicine, Materia Medica, Repertory, Pharmacy, Practice of Medicine, Paediatrics and Psychiatry with 06 seats in each subject. |
| 16. | Kent Homoeopathic Medical College and Hospital At & P.O. Khilwat (via-Bidupur Bazar) Hajipur, District Vaishali. | B.H.M.S.(50) | 23.03.2019 | | 27.09.2019 | To be re-inspected as sufficient documentation substantiating observation of inspection report not available. Report regarding staffing, hospital functioning appear doubtful. |
| 17. | Sri Basaveshwar Rural Education and Development Trust Sri Sathya Sai College of Homoeopathic Medical Sciences, Plot No. 19 'C', Industrial Area, Sattur, Dharwad–580009, | B.H.M.S.(50) | 23.03.2019 | 24.03.2019 | 27.03.2019 | To be re-inspected as only one visitor inspected the college. |
| 18. | S.C.S.E. Society's. Shiv Basav Jyoti Homoeopathic Medical College, R.S. No.43/2A, Plot No.8, Indal Road, Azam Nagar, Belgaum- 590010. | BHMS(50) | 25.03.2019 | 25.03.2019 | 28.03.2019 | Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course. |
| 19. | C.D. Pachchigar Homoeopathic Medical College, Near Anand Mangal Society, Bhatar Road, Majura, Surat- 395001. | B.H.M.S.(75) | 25.03.2019 | | 28.03.2019 | I-BHMS Course for the session 2019-20 with the intake capacity of 75 seats in existing UG (BHMS) course. |
| 20. | Smt. Chandaben Mohanbhai Patel Homoeopathic Medical College, Irla,Natakkar R.G. Gadkari Marg,Vile, Parle (West), Mumbai- 400 056. | BHMS(100) | 25.03.2019 | | 28.03.2019 | Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course. |
| 21. | Homoeopathic Medical | B.H.M.S. (100) M.D.(Hom) Organon of Medicine-6 Mat. Medica-6 Repertory- 6 | 25.03.2019 | 26.03.2019 | 28.03.2019 | Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course. Recommended also for allowing admission in M.D. (Hom.) Course in the subjects of Organon of Medicine, Hom. Materia Medica and Repertory with 05 |

| | | | | | | seats in each subject. |
|-----|--|---|----------------|------------|----------------|---|
| | | | | | | |
| 22. | Bhartesh Homoeopathic Medical College, B.C 188, Old P.B. Road Dharwar, Belgaum-590 016 | B.H.M.S.(100) M.D.(Hom.) Organon - 6 Materia Medica- 6 Repertory-6 | 25.03.201 9 | 25.03.2019 | 28.03.201 | Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 in existing UG (BHMS) course. Recommended also for allowing admission in M.D.(Hom.) Course in the subjects of Organon of Medicine and Repertory with 04 seats in each and in the subject of Materia Medica with 05 seats. |
| 23. | Yenopoya Homoeopathic Medical College & Hospital, R.S. No.29,30,31, Naringana Village, Post- Deralakatte (Mangalore), Tah. Bantwal, Dt Dikshin Kannada- 575018 | BHMS(100) | 25.03.201 9 | 25.03.2019 | 29.03.201 | Recommended for allowing admission in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course. |
| 24. | Kamdar Homoeopathy Medical College & Research Centre, Haripar Pal Survery No.12, Behind NRI Bungalows, Opp. Delhi Public School, Kalawad Road, Rajkot-360007. | B.H.M.S.(100) | 25.03.201 | 25.03.2019 | 29.03.201 9 | Not Recommended for allowing admission in I-BHMS Course for the session 2019-20 due to lack of Guest Faculties. Deficiencies reflected in the report of inspection are as under- No Guest Faculty of Professor and Reader cadre available against the requirement of 12. No reader in Materia Medica Dept. One Professor is with DHMS qualification (DoA: 01.10.2018) 2 ESR (Westergren/wintrobe) available in Pathology and Microbiology Dept. against the requirement of 04. |
| 25. | Shree Limbdi Vikas Trust Homoeopathic Medical College, Limbdi- Dhanuka State Highway, District Surendra Nagar Limbdi- 363421. Gujarat | B.H.M.S.(100) | 26.03.201 | 26.03.2019 | 29.03.201 | Not Recommended for allowing admission in I-BHMS Course for the session 2019-20 due to lack of Guest Faculties and absence of higher faculty in Practice of Medicine and Repertory. Deficiencies reflected in the report of inspection are as under- 27 Full time teachers (5 Professors, 9 Readers & 13 Lecturers) available against the requirement of 28. No Guest Faculty available against the requirement of 12. No Professors available in Practice of Medicine. No Reader available in Repertory. Number of teachers reported in table is 27, in attendance and acquittance roll as 24 respectively. Complimentary and back issue of journals not reported/ not available in Library. Teaching Departments |

| | | | | | | Anatomy:Soft parts not available. |
|-----|--------------------------|------------------------|-----------|------------|-----------|--|
| | | | | | | Mummified bodies not available. |
| | | | | | | Cadavers not available. |
| | | | | | | Homoeopathic Pharmacy: |
| | | | | | | Models not available/not reported |
| | | | | | | Repertory: |
| | | | | | | Software not available against the |
| | | | | | | requirement of 05. |
| | | | | | | • Details of computer lab not |
| | | | | | | available/not reported. |
| 26. | Gyan Jyot Education | B.H.M.S. (100) | 25.3.2019 | - | 01.04.201 | Recommended for allowing admission in |
| | Trust B.G. Garaiya | | | | 9 | I-BHMS Course for the session 2019-20 |
| | Homoeopathy Medical | | | | | with the intake capacity of 100 in |
| | College, At Kalipat Nr. | | | | | existing UG (BHMS) course. |
| | Tramba, Bhavnagar | | | | | |
| | Highway, Rajkot-360 020. | | | | | |
| | 020. | | | | | |
| 27. | Smt. Vasantaben N. | B.H.M.S.(100) | 25.03.201 | 26.03.2019 | 29.03.201 | Recommended for allowing admission in |
| | Vyas Homoeopathic | | 9 | | 9 | I-BHMS Course for the session 2019-20 |
| | Medical College & | | | | | with the intake capacity of 60 seats only |
| | Hospital, SR No.873/2 | | | | | in existing UG (BHMS) course, as no |
| | Jeshingpara, Amreli- | | | | | Guest Faculty has been appointed. |
| | 365 601 | | | | | |
| 28. | Dr. Padiar Memorial | B.H.M.S.(50) | 27.03.201 | 27.03.2019 | 29.03.201 | Recommended for allowing admission in |
| | Homoeopathic Medical | | 9 | | 9 | I-BHMS Course for the session 2019-20 |
| | College, Chottanikkara, | | | | | with the intake capacity of 50 seats in |
| | Ernakulam-682312. | | | | | existing UG (BHMS) course |
| 29. | Dr. J.J. Magdum Trust's | B.H.M.S.(100) | 25.03.201 | 25.03.2019 | 29.03.201 | Recommended for allowing admission in |
| | Homoeopathic Medical | (100) | 9 | 20.00.2019 | 9 | I-BHMS Course for the session 2019-20 |
| | College, Jaysingpur-416 | MD(Hom) | | | | with the intake capacity of 100 in |
| | 101, Dist. Kolhapur. | Organon of Medicine -6 | | | | existing UG (BHMS) course. |
| | | Materia | | | | Recommended also for allowing |
| | | Medica-6 | | | | admission in M.D.(Hom.) Course in the |
| | | Repertory-6 | | | | subjects of Organon of Medicine- 03 |
| | | | | | | seats, Materia Medica-03 seats and |
| | | | | | | Repertory with 04 seats. |
| 30. | Gujarat Homoeopathic | B.H.M.S.(100) | 23.03.201 | 24.03.2019 | 30.03.201 | Recommended for allowing admission in |
| | Medical College At & | | 9 | | 9 | I-BHMS Course for the session 2019-20 |
| | P.O. Savli-91770, Dist. | | | | | with the intake capacity of 100 seats in |
| | Vadodara. | | | | | existing UG (BHMS) course. |
| 1 | | | | | | |

Agenda Item No.7.1

<u>Consideration of Reports of Inspection of Homoeopathic Medical College, Akot Road, Akola, carried out under Court Order.</u>

The college was inspected on 27.03.2019 in compliance of Court Order in WP No. 6823/2018 of Hon'ble High Court of Bombay at Nagpur Bench. The Executive Committee considered the matter and it decided as under:

"Not Recommended due to non compliance of deficiencies observed by the Ministry of AYUSH vide letter dated 12.09.2018. Deficiencies reflected in the report of inspection are as under-

- Only 01 Guest Faculty of Professor cadre available against the requirement of 08.
- No Full Time Professor and Reader available in FMT.
- No annexure provided for verification of IPD & OPD data.
- Secretarial Staff not available in hospital.
- Supportive Staff /Non-teaching staff not reported.
- Reading Room for students in Central Library with required capacity is not available as per MSR.
- Mummified bodies not available in Dept. of Anatomy.
- Facility for animals experiments demonstration with the help of Audio-visual Aids not available in Dept. of Physiology and Biochemistry:
- 03 ESR (Westergren/Wintrobe) available against the requirements of 04 in the Dept. of Pathology and Microbiology.

Further, Executive Committee decided that Council will not inspect the college due to non-payment of inspection fee since 2007-08."

The Executive Committee directed the office to complete the actions on the decisions in these minutes immediately, keeping in view of urgency of the matters.

Meeting ended with the vote of thanks to the Chair.

Sd/-

(Dr. Kumar Vivekanand)
Secretary

Attested

Sd/-

(Sh. Nilanjan Sanyal) Chairperson EXTRACT TAKEN FROM THE MINUTES OF THE 20THMEETING OF THE EXECUTIVE COMMITTEE OF BOARD OF GOVERNORS OF CENTRAL COUNCIL OF HOMOEOPATHY HELD ON 12.04.2019 AND (Adjourned Meeting) ON 16.04.2019 AT NEW DELHI.

Agenda item No.3

Ministry's letter No.C.29012/01/2018-EP(IM-2) dated 06th March, 2019 regarding Legal fee to the advocates hired by CCH.

The Executive Committee considered the details of all the pending legal cases which have been received before & after constitution of BoG where payment of the advocates are pending. Committee discussed the matter in light of the Ministry's letter dated 06.03.2019 along with O.M. dated 01.10.2015 of Dept. of Legal Affairs as well as payments made by CCIM to its advocates and decided that the legal fee so fixed by the Council (per hearing/lump sum) prior to 08.06.2018, be paid to respective advocate. In the light of the decision taken by the BoG in its meeting held on 08.06.2018, the Executive Committee after considering the experience of the advocates engaged by the Council from time to time, further decided to restrict the legal fee of the all the Councils advocates w.e.f. 08.06.2018, to the fee fixed by the Dept. of Legal Affairs, Ministry of Law vide its O.M. dated 01.10.2015 under its table (B) for the Senior Central Govt. Standing Counsels.

So far as meaning of effective and non effective hearings is concerned, Committee asked Shri S.N. Tripathi, Legal Consultant to go to Ministry of Law to seek clarification in the matter.

All new cases may be assigned only to Govt. panel advocates and where there is no Govt. panel advocate, Council's Retainer Advocate may be deputed.
