MINUTES OF THE 22ND MEETING OF THE EXECUTIVE COMMITTEE OF BOARD OF GOVERNORS OF CENTRAL COUNCIL OF HOMOEOPATHY HELD ON 01.05.2019 AT NEW DELHI.

PRESENT

Sh. Nilanjan Sanyal
 Dr. Anil Kumari Malhotra
 Dr. Anil Khurana
 Member

Dr. Kumar Vivekanand - Secretary

Dr. D. Samba Murthy, Inspector and Shri Y.D. Vats, Asstt. Secretary (Admn.) were present to assist the Secretary during the meeting.

Agenda item No. 1

<u>Confirmation of the Minutes of the 20th meeting of the Executive Committee of Board of Governors held on 12.04.2019 at New Delhi.</u>

The Executive Committee confirmed the Minutes of its 20th meeting held on 12.04.2019 at New Delhi as circulated.

Agenda item No. 2

Action taken Report on the minutes of the 20th meeting of Executive Committee of Board of Governors held on 12.04.2019 at New Delhi.

The Executive Committee noted the Action taken by the office of the Council on the Minutes of the 20th meeting of Executive Committee of Board of Governors of Central Council of Homoeopathy held on 12.04.2019 at New Delhi.

Agenda item No. 3

<u>Confirmation of the Minutes of the 21st meeting of the Executive Committee of Board of Governors held on 22.04.2019 at New Delhi.</u>

The Executive Committee confirmed the Minutes of its 21st meeting held on 22.4.2019 at New Delhi as circulated.

Agenda item No. 4

Action taken Report on the minutes of the 21st meeting of Executive Committee of Board of Governors held on 22.04.2019 at New Delhi.

The Executive Committee noted the Action taken by the office of the Council on the Minutes of the 21st meeting of Executive Committee of Board of Governors of Central Council of Homoeopathy held on 22.04.2019 at New Delhi.

Agenda item No. 5

Amendment in Standing Orders of the Council

The Executive Committee discussed the matter and deferred the matter for the time being. The Executive Committee asked the office to indicate the contents of relevant provisions of Standing Orders of CCIM, in the Agenda Note, whereever applicable.

Agenda item No.6

Amendments in Homoeopathy Central Council (Registration) Regulations, 1982.

The Executive Committee noted that provisions for online registration in Council's website are yet to be done. Therefore, it decided to defer the matter till the website is developed. Considering the inordinate delay in the development of website, it also decided to call the concerned officer of CSC before the Executive Committee.

The Executive Committee noted that offer for the post of IT Consultant was issued on 08.04.2019 to the candidate who was 2nd and last on the panel and he was supposed to join by 23.04.2019 but through his email dated 23.04.2019, he mentioned the condition for submission of 75 days notice to the company where he is presently working, before leaving the organization and sought time accordingly. Considering the immediate requirement of IT Consultant in the office, the E.C. decided not to extend his joining time by 75 days as it is not certain whether he would join even after that period. The office may call fresh applications with 21 days notice, for walk-in interview.

Agenda item No.7

Restoration of the names of Practitioners in the Central Register of Homoeopathy.

The Executive Committee agreed with the office proposal for restoration of 06 (six) names of homoeopaths in the Central Register of Homoeopathy. It also noted that there has been inordinate delay in restoration of said names. Shri Anil Kumar, UDC, who has been assigned the work of maintenance of Central Register of Homoeopathy, failed to justify the delay during the meeting. Accordingly, the Committee decided to issue a warning to him to be careful in future and process all such matters on quarterly basis.

Agenda item No.8

Ministry's letter No.R.12014/22/2015-2018-EP(H) dated 01.04.2019 regarding transfer of students of BHMS Course at Maa Kalawati Homoeopathic Medical College & Hospital, Rajaulatu, Namkum, Ranchi, Jharkhand to other Homoeopathic Medical College situated in Jharkhand.

The Executive Committee discussed the matter related to inspection of Maa Kalawati Homoeopathic Medical College & Hospital, Namkum, Ranchi, Jharkhand and did not agree for compliance of any verbal communication of Ministry not to inspect the college further, as the Ministry itself, when rejecting the permission for admitting students for Academic Year 2018-19, had instructed the Council to inspect the college before processing for admission for Academic year 2019-20, while also advising the State Govt. to transfer the existing students of 1st BHMS to some other college, vide Ministry's letter No. R.12014/22/2015/2018-EP(H), dated 25.09.2018. It also reiterated that the said college was inspected for the session 2019-20 in compliance of Ministry's direction vide their letter dated 25.09.2018 and since,

inspection report did not enclose the supportive documents with respect to the functioning of college & hospital, it had recommended for re-inspection.

Agenda Item No.9

Consideration of Reports of Inspection of Homoeopathic Medical Colleges.

Sl. No.	Name of the College	Courses Run and Intake Capacity		Report Dispatched on	Report received in CCH on	Remarks
1.	National Institute of Homoeopathy, Block- GE, Sector III, Salt Lake, Kolkata- 700 106.	B.H.M.S. (60) M.D. (Hom.) Organon of Medicine- 9 Pharmacy- 3 Mat Medica 9 P of Medicine-3 Repertory-9 Pediatrics-3	05.04.19	06.04.19	09.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with intake capacity of 60 seats only in existing UG (BHMS) course. Recommended also for allowing admission in M.D. (Hom.) Course in the subjects of Organon of Medicine, Materia Medica and Repertory with 04 seats in each subject and not recommended for PG in Pharmacy, Practice of Medicine & Pediatrics in absence of required teaching faculties and other deficiencies as reported in inspection report.
2.	Aarogya Homoeopathic Medical College, P.No.104/1, DhaniKagota Ki Naila Kanota, Jamwaramgarh, Jaipur- 303012.	B.H.M.S.(60)	05.04.19	06.04.19	09.04.2019	Not recommended for allowing admissions in I-BHMS Course for the session 2019-20 due to shortfall in required eligible teachers. Deficiencies reflected in the report of inspection are as under- 18 Full Time (08 Professor, 01 Reader and 09 Lecturer) teachers reported in which 04 teachers found to be ineligible. Visitors reported that Library sitting capacity is not up to mark, OPD space is not up to mark. Availability of Cadaver in anatomy Dept. is erroneously reported as applied for anatomy act but availability is not reported.
3.	Faculty of Homoeopathic Sciences, Jayoti Vidyapeeth Women's University, Vedaant Gyan Valley, Jharna, Mahala Jobber, Link Road, Jaipur- Ajmer Express Way, NH-8, Jaipur-303122.	B.H.M.S.(60)	05.04.19	06.04.19	09.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with intake capacity of 60 seats in existing UG (BHMS) course.

4.	Samarpan Charitable and Educational Medical & Research Trust's Shri Bachubhai Alabhai Danger Homoeopathic Medical College, Opp. I.O.C. Depot, Jamnagar Road, Rajkot-	B.H.M.S.(100)	05.04.19	06.04.19	09.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 in view of ratio of the High Court's order in respect of denial of permission for 2018-2019 qua the distance of the college from hospital.
5.	R.K.D.F. Homoeopathic Medical College and Hospital, Research Centre, Mile Stone 12, Hoshangabad Road, Bhopal-462046.	B.H.M.S.(100) M.D(Hom) Organon of Medicine -10 Practice of Medicine -10 Materia Medica -10 Repertory -10 Pharmacy -08 Paediatrics -04	05.04.19	06.04.19	09.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with intake capacity of 60 seats in existing UG (BHMS) course and 29 seats in MD(Hom) course in the subjects of Organon of Medicine- 08, Pharmacy- 04, Materia Medica- 04, Practice of Medicine- 07, Repertory- 06 seats subject to fulfilment of Guest faculty for UG course before the commencement of new session on account of ineligibility of 04 MD students being counted as UG teachers.
6.	Laxmiben Homoeopathy Institute & Research Centre, Lalji Park, Unjha- Mehsana Highway, At and PO-Bhandu-384120, Ta-Visanagar, Distt. Mehsana, (North Gujarat)	B.H.M.S.(100)	05.04.19	06.04.19	09.04.2019	Not recommended for allowing admission in I-BHMS Course for the session 2019-20 due to lack of Guest faculty and non availability of higher faculty in Practice of Medicine, Community Medicine & Repertory. Deficiencies reflected in the report of inspection are as under- 1. 27 Full Time (04 Professor, 08 Reader and 15 Lecturer) available against the requirement of 28. 2. No Guest Faculty of any cadre available against the requirement of 12. 3. No FT Professor/ Reader available in Practice of Medicine, Community Medicine and Repertory. 4. Community Medicine: Village adoption not available. 5. Homoeopathic Pharmacy: Models not reported. 6. Organon of Medicine: Charts on Philosophy not reported. 7. Repertory: No. of software 03 available against the requirement of 05
7.	Dr. Madan Pratap Khuteta Homoeopathic Medical College, Homoeopathy Plot No.10-11 & 12, Village Saipura, Sanganer, Jaipur-302029.	B.H.M.S. (100) M.D.(Hom) Organon- 06 M. Medica-06 Repertory - 06 Practice of Medicine -06 Pharmacy- 06 Paediatrics-06	05.04.19	05.04.19	09.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with intake capacity of 100 seats in existing UG (BHMS) course. Recommended also for allowing admission in M.D. (Hom.) Course in the subjects of Organon of Medicine with 06 seats and 04 seats

8.	SSVP Homoeopathic Medical College & Research Institute, B-101, Tulsi Arcade, Connought Place, CIDCO, Aurangabad 431003 – Hingoli - M.S.	B.H.M.S.(60)	05.04.19	06.04.19	09.04.2019	each in the subject of Materia Medica, Repertory, Practice of Medicine, Pharmacy & Paediatrics. Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with intake capacity of 60 seats in existing UG (BHMS) course and continuation in 3 rd BHMS, subject to appointment of 02 regular full time teaching faculties before
9.	Netai Charan Chakravarty Homoeopathic Medical College and Hospital, 45, 'F' Road, Belgachia, Howrah-711 101.	B.H.M.S.(60)	05.04.19	-	09.04.2019	commencement of new session. Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with intake capacity of 60 seats in existing UG (BHMS) course.
10.	White Memorial Homoeopathic Medical College, Attoor, Veeyanoor-629177. Dist. Kanyakumari	B.H.M.S. (100)	06.03.19	06.03.19	08.03.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with intake capacity of 100 seats in existing UG (BHMS) course subject to appointment of Guest faculty and Teachers of Modern Medicine (Pathologist, Ophthalmologist, Paediatrician & Dentist) before commencement of new session.
11.	Shivang Homoeopathic Medical College and Hospital, Bairagarh Chichi, Nayapura, Kolar Road, Bhopal-462042.	B.H.M.S.(100)	05.04.19	06.04.19	09.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with intake capacity of 100 seats in existing UG (BHMS) course subject to appointment of required Guest faculties (06 more) in modern medicine before the commencement of new session.
12.	Motiwala (National) Homoeopathic Medical College and Hospital, Motiwala Nagar, Gangapur Satpur Link Road, Via Nashik, H.P.O., Nashik-422 001.	B.H.M.S.(100) M.D.(Hom) Organon of Medicine -3 Materia Medica -3 Practice of Medicine -3 Paediatrics -3 Repertory-3	05.04.19	06.04.19	09.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with intake capacity of 100 seats in existing UG (BHMS) course and 03 seats each in existing M.D. (Hom.) Courses namely Organon of Medicine, Materia Medica, Repertory, Practice of Medicine and Paediatrics, taking note of availability of full requirement of teaching faculty in UG and PG courses.
13.	Rani Dullaiya Smriti Homoeopathy College & Hospital, Barkhedi Kalan, Bhadbhada Road, Bhopal-	B.H.M.S.(100)	05.04.201	06.04.201	09.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with intake capacity of 100 seats in existing UG (BHMS) course and continuation in 3 rd BHMS, subject to appointment of 01 full time higher faculty in Repertory & 07

						Guest faculties before the commencement of new session.
14.	Shri Tatyasaheb Ghatake Charitable Trust, R.R. Patil College of Homoeopathy & Hospital, Pune Baypass Road, Sangli-416416.	B.H.M.S. (50)	05.04.19	05.04.19	09.04.2019	Recommended for allowing admissions in I-BHMS and continuation of 3 rd BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course.
15.	Pratap Chandra Memorial Homoeopathic Hospital and College, 14/1, Narkeldanga North Road, Kolkata-700 011	B.H.M.S.(50)	05.04.19	06.04.19	09.04.2019	Not recommended for allowing admission in I-BHMS Course for the session 2019-20 due to variance in acquittance roll and list of teachers and guest faculty as well as deficiencies reflected in the report of inspection as under- Teaching Staff No. of teachers reported in acquaintance roll is 37 but as per annexure it is 21. No. of teachers in attendance register could not be verified as no annexure are available. Hospital Superintendent Room reported as attached with Principal's Room. Hospital Staff: Lab attendant Dark Room attendant and Hospital Reception Staff not reported. Non-teaching Staff: Anatomy Lab Attendants, Physiology & Biochemistry Lab Technician, Physiology & Biochemistry Lab Attendants are not reported. Hospital Equipment Stretcher with trolley 02 available against the requirement of 03. Tongue depressor (Disposable) and Suction Tube are not reported. Diagnostic set (ENT) 01 available against the requirement of 03. Infra-red lamp not reported against the requirement of 03. Infra-red lamp not reported against the requirement of 02. Teaching Departments Mummified bodies not reported in Anatomy Dept. Physiology and Biochemistry: Facility for Animal Experiments demonstration with the help of Audio-visual Aids is not reported. Double Distillation apparatus

						Glass reported as requisition but not supplied against the requirement of 01. Establishment of separate Biochemistry lab not reported. Community Medicine: Village not Adopted.
16.	Shri Bhagwan Homoeopathic Medical College and Indira Gandhi Memorial Hospital, CIDCO N-6, Aurangabad-431 003.	B.H.M.S.(100) M.D. (Hom.) Organon-3 Mat. Medica -6 Repertory -6 P. of Med6 Paediatrics-5	05.04.19	06.04.19	09.04.2019	Not recommended for allowing admission in I-BHMS Course and M.D. (Hom.) for the session 2019-20 due to non functional IPD & discrepancies in FT teaching staff for UG & PG and acquittance roll and other shortfall as reflected in the report of inspection as under-Teaching Staff For U.G. • 31 Full Time Teachers (11 Professor, 08 Reader and 12 Lecturer) available against the requirement of 28 but there is discrepancies in number of FT teaching staff. Hospital: • Average Bed occupancy per day is 18.61% and total IPD patients are 3737. • Average no. of patient in OPD per day 234 only and total no. of patients OPD is 70361. Teaching Departments: • The availability of the items on most of the departments is reported available against quantification.
17.	Shri Shamlaji Homoeopathic Medical College and Research Institute, Godhra, Near Moon Light Cinema, Godhra.	B.H.M.S.(100)	05.04.19	06.04.19	11.04.2019	Not recommended for allowing admission in I-BHMS Course for the session 2019-20 due to shortfall in regular teaching faculty as 08 full time teachers are not having eligible qualification and without mention of their date of appointment and shortfall of consultants of modern medicine, as well as other deficiencies reflected in the report of inspection as under: Teaching Staff: Out of 29 FT teachers 08 FT (03 Prof, 03 Readers and 02 lecturers) are of BHMS/DHMS qualification but date of appointment not mentioned in annexure. Teachers or consultants of Modern Medicine, Pathologist, Gynaecologist and Surgeon are reported to be available but from teaching faculty Acquitance attached does not have the details. Anatomy: Mummified bodies reported as under process.

18.	Sayali Chritable Trust,	B.H.M.S. (100)	05.04.19	06.04.19	11.04.2019	Not recommended for allowing
10.	College of Homoeopathy,	D.11.111.D. (100)	U2.U7.17	00.07.17	11.07.2017	admission in I-BHMS Course for the
	Gut No.141, 150, 55					
	Mitmita, Nashik Road,					session 2019-20 due to heavy
	Aurangabad-431003					shortfall in teaching faculty as only
						17 full time teachers are available
						after discounting 04 full time teachers
						with BHMS or DHMS qualifications,
						along with only 07 guest faculties
						against required 12. Deficiencies
						reflected in the report of inspection
						are as under:
						Teaching Staff
						• 21 full time (06 Professor, 06
						Reader and 09 Lecturer)
						available against the requirement
						of 28.
						• 07 Guest Faculty (04 Professor
						and 03 Reader) available against
						the requirement of 12.
						• 04 FT Teachers (Readers) are
						with BHMS or DHMS
						qualification. Date of
						appointment 2016 onwards
						Hospital
						Provision for Superintendent
						Room, SMO room, dressing
						room, Store room, Doctors duty
						room is not available.
						Separate Dispensary for OPD
						and IPD not available.
						Nursing Station/ Duty room
						reported as in the ward.
						ECG, USG not available.
						• Preparation room and post
						operative recovery room reported
						as same room.
						Surgeon Room and Nursing Staff
						Room not available.
						Hospital Staff
						Medical record room not
						available.
						Non Teaching/Supportive Staff
						Sanitation Staff not available
						Hospital Equipment
						• 04 Stretcher with trolley vailable
						against the requirement of 06.Oxygen Cylinder with stand 01
						available against the requirement
						of 06.
						 Diagnostic ENT Set not available
						against the requirement of 06.
						 Infra red lamp not available
						against the requirement of 01.
						Central Library
						• Photocopying facility and
						internet facility not available.
						Cataloguing of books not done.
						Anatomy
						Dissection set complete not
						available. Soft parts, Mummified
						bodies & Cadavers not available.
						Not covered under Anatomy act.
						Physiology and Biochemistry
						0

						 Haematocrit tubes not available against the requirement of 30. Auto analyzer not available against the requirement of 01. Clinical Thermometer (Digital) not available against the requirement of 25. ECG machine not available against the requirement of 01. Colorimeter not available against the requirement of 02. Facility for animal experiments demonstration with the help of Audio-visual Aids not available. Pathology and Microbiology Water bath (electric) 02 available against the requirement of 04. Stains and chemical reagents for histopathology not available. Anaerobic apparatus not available against the requirement of 02. High speed centrifuge, colony counter not available against the requirement of 01 respectively. Material for preparation of media and stain not available. Computer with accessories not available against the requirement of 01. Pathological specimens not available against the requirement of 25. Models not available. Practice of Medicine Equipments for identification, Specimens and Models not available. Surgery
						 Specimens not available Obstetrics and Gynaecology Models and specimens not available. Homoeopathic Pharmacy Glass apparatus for filtration with vacuum 01 available against
						the requirement of 02 Repertory No. of Software 01 available against the requirement of 05.
19.	Foster Development Homoeopathic Medical College, N-5, Behind Gulmohar Colony, CIDCO, Aurangabad- 431003.	B.H.M.S.(100) M.D.(Hom.) Organon of Medicine -6 Mat. Medica-6 Repertory-6 P. of Med6 Paediatrics-6 Pharmacy-6	05.04.19		12.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with the intake capacity of 60 seats in existing UG (BHMS) course and 04 seats each in the subjects of Organon of Medicine, Materia Medica, Practice of medicine, Repertory, Paediatrics and Pharmacy in existing M.D.(Hom.) Course.
20.	Jawaharlal Nehru Homoeopathic Medical College, C/o Parul	B.H.M.S.(100) M.D.(Hom) Organon - 6	05.04.19	05.04.19	12.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with the intake

	Educational Complex,	Mat. Med 6				capacity of 100 in existing UG
	Post-Limbda, Tal- Waghodia, Dist Vadodara-91760	Repertory - 6 P. of Med. – 6				(BHMS) course. Recommended also for allowing admissions in existing M.D.(Hom.) Course in the subjects of Organon of Medicine, Materia Medica, Practice of medicine and Repertory with 04 seats in each subject.
21.	Dakshin Kesari Muni Mishrilalji Homoeopathic Medical College, Behind Bibi Ka Makbara, Shree Guru Ganesh Nagar, Aurangabad-431 004.	B.H.M.S.(100)/ M.D. (Hom.) Organon - 6 Mat. Med6 Repertory-6 Practice of Medicine -6 Paediatrics - 6 Pharmacy-6 Psychiatry- 6	9	05.04.201 9	12.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with the intake capacity of 100 in existing UG (BHMS) course. Recommended also for allowing admission in M.D.(Hom.) Course in the subjects of Organon of Medicine-04 seats, Materia Medica- 04 seats, Practice of medicine- 04 seats, Repertory-03 seats, Paediatrics- 04 seats, Pharmacy-04 seats and Psychiatry-04 seats.
22.	Lord Buddha Homoeopathic Medical College and Hospital, Plot No. 2 & 2A, Knowledge Park-1, Greater Noida, G. B. Nagar- 201310.	B.H.M.S.(60) Continuing from 2 nd to 3 rd year	05.04.19	08.04.19	12.04.2019	Not Recommended for allowing admissions in I-BHMS course in view of inability of Inspector to inspect the college due to non-operation and non functioning of college and subsequent letter dated 02.04.2019 received on 03.04.2019 in CCH regarding non-operation of college for 2019-20 session. Also recommended for initiating action for shifting of students already admitted, if any.
23.	Gulabrao Patil Homoeopathic Medical College,795, Gulabrao Patil Education Camps, Near Govt. Milk Dairy, Distt. Sangli, Miraj.	B.H.M.S.(100)	12.04.19	-	15.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course subject to fulfilment of guest faculty and other shortfalls before the commencement of new session.
24.	R. D. Kedia Homoeopathic Medical College & Hospital, post office Hanuman Sugar Mills Bariyapur, Motihari, East Champaran-841226,	B.H.M.S.(50)	12.04.19	13.04.19	15.04.2019	Not Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course due to lack of requisite eligible full time teaching staff as 07 full time teachers are with BHMS qualification and other shortfall. Deficiencies reflected in the report of inspection are as under: Teaching Staff Out of 28 FT teachers 07 Full Time teachers are with

25.	Rajkot Homoeopathic Medical College, Jainath Petrol Pump, Gondal Road, Rajkot-360 002	B.H.M.S.(100)	12.04.19	1204.19	15.04.2019	BHMS/DHMS qualification and Date of Appointment is 2016 onwards Anatomy: Mummified bodies not available. Cadavers and Anatomy Act is reported as applied for. Homoeopathic Pharmacy License for procuring alcohol/spirit is not available. Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with the intake capacity of 100 in existing UG (BHMS) course.
26.	Shri Vivek Bharti Trust, Noble Homoeopathic College & Research Institute-Junagadh, "PARTH VATIKA", Bhesan Road, Bamangam-362310, Ta & Dist. –Junagadh	B.H.M.S.(100)	12.04.19	13.04.19	15.04.2019	Recommended for allowing admissions in I-BHMS course for the session 2019-20 with the intake capacity of 100 seats in existing UG (BHMS) course and continuation to IIIrd BHMS Course subject to condition that the college shall appoint 01 full time Reader each in Practice of Medicine and Materia Medica departments.
27.	K.E.S. Loknete Adv. Datta Patil Homoeopathic Medical College & Hospital, BalasahebKhardekar Road, Vengurla, Bhatawadi, Dist. Sindhudurg-416 516	BHMS(50)	12.04.19	-	15.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course.
28.	Dr. Yadubir Singh Sinha Homoeopathic Medical College and Hospital, Laharisarai, Darbhanga- 846002.	B.H.M.S.(50)	12.04.19	12.04.19	15.4.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course, as the college fulfils requirement of teaching staff even after discounting of 05 ineligible teachers.
29.	Antarbharti Homoeopathic Medical College (Dabha), Nagpur 440 023	BHMS(50)	12.4.19	13.4.19	15.4.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with the intake capacity of 50 seats in existing UG (BHMS) course.
30.	Janseva Mandal's Sai Homoeopathic Medical College, Dugad Phata, Tal-Bhiwandi, Distt. Thane-421302 (M.S.).	B.H.M.S.(75)	12.04.19	13.04.19	15.04.2019	Recommended for allowing admissions in I-BHMS Course for the session 2019-20 with the intake capacity of 75 seats in existing UG (BHMS) course subject to appointment of full time Reader in Organon department before the commencement of new session.

Agenda Item No.10 Consideration of Inspection reports u/s 12A of HCC Act, 1973 for starting New BHMS Course.

Sl.	Name of the College	Courses Run	Date of	Report	Report	Remarks
No.		and Intake	Inspection	Dispatched		
		Capacity		on	CCH on	
1.	Baba Homoeopathic Medical College, 56, Matiyari, Deva Road, CHINHAT, Lucknow—226028. (Uttar Pradesh) (by Baba Homoeopathic Educational Society)	For LoI to start new BHMS course with intake of 60 seats	24.04.2019	24.04.2019	29.04.2019	Recommended to disapprove the application for starting BHMS Course in view of the deficiencies reflected in the report of inspection in respect of poor status of IPD and OPD, and also as all hospital facilities accept 03 H.M.O. are with parent hospital and other shortfalls. Deficiencies reflected in the report of inspection are as under: Built up area Hospital Total Built up area not reported by visitor but as per annexure (lay Out) total plot area is 12000 Sq Ft. against the requirement of 715 Sq Mts. Which requires Built up area College Total covered area not reported by visitor but as per annexure (lay Out) 1217 Sq Mts. Against the requirement of 1210 Sq Mts. Hospital Average Bed occupancy per day not reported by visitor but on calculation is 3.70% (Total IPD Patients 338). Average No. of Patients in OPD not reported by visitor but on calculation is 62.44 (Total OPD Patients 18732). USG reported as outsource in MoU. Rehabilitation Unit including Yoga not reported by visitor. Hospital staff Cleanliness Staff and Hospital Reception Staff not reported by visitor. Central Library Total No. of Books 992 available against the requirement of 2000. Capacity for reading room for students is 40 against the requirement of 50-60.

O Lattery Groceps, small and big available against the requirement of 12.				Hospital Equipments
of 12. Dept of Anatomy Dissection Tables with marble tops or stainless sate (6 × 1 × 2 × 3) reported as in indented against the requirement of 04. Saw for sectioning body and limbs reported as in indented against the requirement of 01. Storage tanks to hold cadavers not available. Teaching 'materials not reported. Soft parts and wet and dry not available. Microscope (Medicar) not available. I attest Diagrams not available. Microscope (Medicar) not available against the requirement of 25. Cadavers not available against the requirement of 25. Cadavers not available against the requirement of 25. Haemocytometer (Sahi) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Stethoscope of savailable against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethoscope of savailable against the requirement of 25. Colour perception lantern (Eddrige Circen) not available against the requirement of 01.				
Dept of Anatomy Dissection Tables with marble tops or stainless steel (6'\circ\circ\circ\circ\circ\circ\circ\cir				
Dissection Tables with marble tops or stainless steel (6 % 1 × 2 × 3) reported as en indented against the requirement of 04. Saw for sectioning body and limbs reported as in indented against the requirement of 01. Storage tanks to hold cadavers not available. Teaching \materials not reported. Soft parts and wet and dry not available. Mummified bodies not available. Microscope (Medical) not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglothiometer (Sahii) 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Clinical params not available against the requirement of 25. Sitethoscope 05 available against the requirement of 25. Clinical params not available against the requirement of 25. Clinical params not available against the requirement of 25.				
tops or stainless steel (6'x'1\2'x'3') reported as in indented against the requirement of 04. Saw for sectioning body and limbs reported as in indented against the requirement of 01. Storage tanks to hold cadavers not available. Teaching (materials not reported. Soft parts and wet and dry not available. Murmified bodies not available. Hatest Diagrams not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Sphygmomanometer 20 available against the requirement of 25. Sphygmomanometer 20 available against the requirement of 25. Sphygmomanometer (Digital) 15 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethoscaphs or pneumographs not available against the requirement of 26. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				•
(6'x'1'x2'x3') reported as in indented against the requirement of 04. Saw for sectioning body and limbs reported as in indented against the requirement of 01. Storage tanks to hold cadavers not available. Teaching \materials not reported. Soft parts and wet and dry not available. Mummified bodies not available. Latest Diagrams not available. Microscope (Medican) not available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahii) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer of 25. Stethoscope 05 available against the requirement of 25. Stethoscope of 3 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				
indented against the requirement of 04. Saw for sectioning body and limbs reported as in indented against the requirement of 01. Storage tanks to hold cadavers not available. Teaching (materials not reported.) Soft parts and wet and dry not available. Mummified bodies not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Sphygmomanometer 0 available against the requirement of 25. Sphygmomanometer 0 available against the requirement of 25. Sphygmomanometer 0 available against the requirement of 25. Stethoscope 05 available against the requirement of 26. Clinical thermometer (Digital) 15 available against the requirement of 26. Clinical properties of the requirement of 26. Stethographs or pneumographs not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				±
of 04. Saw for sectioning body and limbs reported as in indented against the requirement of 01. Storage tanks to hold cadavers not available. Teaching 'materials not reported. Soft parts and wet and dry not available. Mummified bodies not available. Latest Diagrams not available. Latest Diagrams not available. Microscope (Medical) not available gainst the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Sphygmomannet of 25. Stethoscope 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				
Saw for sectioning body and limbs reported as in indented against the requirement of 01. Storage tanks to hold cadavers not available. Teaching materials not reported. Soft parts and wet and dry not available. Mummified bodies not available. Latest Diagrams not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahili) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Sitehoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				
limbs reported as in indented against the requirement of 01. Storage tanks to hold cadavers not available. Teaching \materials not reported. Soft parts and wet and dry not available. Mummified bodies not available. Latest Diagrams not available. Latest Diagrams not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available. Glass Distillation not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				
against the requirement of 01. Storage tanks to hold cadavers not available. Teaching \materials not reported. Soft parts and wet and dry not available. Mummified bodies not available. Latest Diagrams not available. Latest Diagrams not available. Latest Diagrams not available. Cadavers not available against the requirement of 25. Cadavers not available against the requirement of 25. Haemoglobinometer (Sahi) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				
Storage tanks to hold cadavers not available. Teaching \materials not reported. Soft parts and wet and dry not available. Mummified bodies not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Hacmoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethoscope 15 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				
not available. Teaching \materials not reported. Soft parts and wet and dry not available. Mummified bodies not available. Latest Diagrams not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethoscaphs or pneumographs not available. Glass Distillation (double) apparatus not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				-
Teaching \materials not reported. Soft parts and wet and dry not available. Mummified bodies not available. Latest Diagrams not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer of 25. Sphygmomanometer of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of Colour perception lantern (Edridge Green) not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				_
reported. Soft parts and wet and dry not available. Mummified bodies not available. Latest Diagrams not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lanterm (Edridge Green) not available against the requirement of 01.				
Soft parts and wet and dry not available. Mummified bodies not available. Latest Diagrams not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lanterm (Edridge Green) not available against the requirement of 01.				_
available. Mummified bodies not available. Latest Diagrams not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				=
available. Latest Diagrams not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				=
Latest Diagrams not available. Microscope (Medical) not available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lanterm (Edridge Green) not available against the requirement of 01.				• Mummified bodies not
 Microscope (Medical) not available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available. 				available.
available against the requirement of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Citinical thermometer (Digital) 15 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				Latest Diagrams not available.
of 25. Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				• Microscope (Medical) not
Cadavers not available College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available.				available against the requirement
College is not covered under the provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				of 25.
provisions of Anatomy Act. Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Stethographs or pneumographs not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01.				Cadavers not available
Dept of Physiology Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available.				_
 Haemoglobinometer (Sahli) 20 available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available. 				=
available against the requirement of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available.				. , ,
of 25. Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available.				_
 Haemocytometer 20 available against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available. 				
against the requirement of 25. Sphygmomanometer 05 available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available.				
available against the requirement of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available.				•
of 25. Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available.				• Sphygmomanometer 05
 Stethoscope 05 available against the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available. 				
the requirement of 25. Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available.				
 Clinical thermometer (Digital) 15 available against the requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available. 				
15 available against the requirement of 25. • Stethographs or pneumographs not available. • Glass Distillation (double) apparatus not available against the requirement of 01. • Colour perception lantern (Edridge Green) not available against the requirement of 01. • Audio Visual Aids not available.				_
requirement of 25. Stethographs or pneumographs not available. Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available.				
not available. • Glass Distillation (double) apparatus not available against the requirement of 01. • Colour perception lantern (Edridge Green) not available against the requirement of 01. • Audio Visual Aids not available.				_
 Glass Distillation (double) apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available. 				• Stethographs or pneumographs
apparatus not available against the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available.				not available.
the requirement of 01. Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available.				` ′
 Colour perception lantern (Edridge Green) not available against the requirement of 01. Audio Visual Aids not available. 				
(Edridge Green) not available against the requirement of 01. • Audio Visual Aids not available.				
against the requirement of 01. • Audio Visual Aids not available.				1 1
Audio Visual Aids not available.				=
				= =
13				Audio visual Aids not available.
				13

• Cataloging of books not done.

Hospital Equipments

- Perimeter 01 available against the requirement of 03.
- Handgrip dynamometer not available against the requirement of 01.
- Bicycle Ergometer not available against the requirement of 01.
- Facility for Animal Experiments demonstration with the help of Audio-visual Aids not available.
- Urinometer, Hydrometer (0.700 1.00), Albuminometers, Thermometer, Glucometer, Colorimeter, Hot air oven 14"x14"x14" (Electric), Double Distillation apparatus Glass, Centrifuge, medium speed, electric Reported as indented.
- Wire gouge with asbestos, Centre hot plate, Stove, Syringes, Rubber tubing, Stands, clamps, Flask, Charts not available.

Dept of Pharmacy

- Porcelain dishes 20 available against the requirement of 25.
- Crucibles with tongs not available against the requirement of 25.
- Water bath (metal/electric) 01 available rest are indented against the requirement of 25.
- Glass apparatus for filtration with vacuum reported as indented against the requirement of 02.
- Thin layer chromatography apparatus not available against the requirement of 01.
- Stop watch (25), Hydrometer (05), Alcoholometer (05), Lactometer (05) Reported as indented
- Pyknometer (Specific Gravity Bottle) (02) Specimens of Animal not available.
- In Details of Vehicles Alcohol and License for procuring Alcohol/Spirit not available.

Dept of Organon

 Photographs of Founder and Philosophers in the field of Homoeopathy mentioning the

						Date of Birth/Death.
						Dr. Samuel Hahnemann, Dr.J.T.Kent, Dr.J.H. Allen, Dr.H.C Allen, Dr.William Boericke are available others all are reported as indented.
						Charts of philosophy are not available.
						Charts and Books on History of Medicine reported as indented.
						Dept of Materia Medica
						Total Number of Charts Not evaluable against the
						 Not available against the requirement of 25 Charts on medicines of Ophidia group, Spider family, Nosodes and Sarcodes.
						Typical Picture-wise presentation of drugs not available against the requirement
						of 10.
						Total Number of Specimens for identification reported as indented.
2.	HLM Homoeopathic Medical College &	For LoI to start new	24.04.2019	25.4.2019	29.4.2019	The Executive Committee decided to issue Letter of Intent (LoI) for
	Hospital, 11KM, Stone,	BHMS				starting of BHMS Course with
	Delhi Meerut Road, Duhai, Ghaziabad-	course with intake of				intake capacity of 100 seats from
	Duhai, Ghaziabad- 201206, U.P. (by	100 seats				the session 2019-20 subject to the fulfilment of requirements of
	H.L.M. Educational					minimum standards in respect of
	Society)					infrastructure and teaching and training facilities as specified in
						HCC (MSR) Regulations, 2013,
						Establishment of New
						Homoeopathy Medical College (opening of new or higher course of
						study or training and increase of
						admission capacity by a medical
						college) Regulations, 2011 (as amended up to 2016) and
						Homoeopathy (Degree Course)
						BHMS Regulations, 1983 (as amended up to 2016), before
						inspection for Letter of Permission.
3.	Sanskriti Homoeopathic	For LoI	24.04.19	25.04.2019	29.04.2019	The Executive Committee decided
	Medical College & Hospital, 28 Km, Stone,	to start new BHMS				to issue Letter of Intent (LoI) for starting of BHMS Course with
	Mathura Delhi	course				intake capacity of 100 seats from
	Highway, Chhata, Mathura-281401 (U.P.)	with intake of 100 seats				the session 2019-20 subject to the fulfilment of requirements of
	(by Sanskriti Society for	100 seats				fulfilment of requirements of minimum standards in respect of
	Education Research &					infrastructure and teaching and
	Development) (U.P.)					training facilities as specified in

						HCC (MSR) Regulations, 2013, Establishment of New Homoeopathy Medical College (opening of new or higher course of study or training and increase of admission capacity by a medical college) Regulations, 2011 (as amended up to 2016) and Homoeopathy (Degree Course) BHMS Regulations, 1983 (as amended up to 2016), before inspection for Letter of Permission.
4.	Oyster Homoeopathic Medical College, Gut No.617, Golatgaon, Nagonachi Wadi, Jalna Road, Aurangabad-431201 (M.S.) (by Students Academic Education Society's)	For LoI to start new BHMS course with intake of 100 seats	24.04.19	24.04.2019	29.04.2019	Recommended to disapprove the application for starting BHMS Course in view of major shortfall in hospital staff and equipment and other deficiencies reflected in the report of inspection as under: Built up area College • 590 Sq Mts (Phase wise) available the requirement of 790 Sq Mts. • Common Rooms for boys and Girls not available. • Seminar Examination Hall not reported. • Built up area of Central Library reported as 100 Sq Mts. Against the requirement of 120 Sq Mts. • Built up Area of Homoeopathy Pharmacy is reported as 60 Sq Mts. Against the requirement of 90 Sq Mts. Hospital • Superintendent Room / Senior Medical Officer/Room / Staff nurse/Dressing Room /Store Room not available/ not reported. • Preparation Room/ Space for sterilized linen/ Labor Room/ Surgeon Room/ Nursing Staff Room not available/ not reported. • MoU of Super Specialty Hospital not available and not reported. • Rehabilitation Unit Including-Physiotherapy, Yoga not available and not reported. • Rehabilitation Unit Including-Physiotherapy, Yoga not available and not reported. • Anesthetist/ Pathologist/ House Physician (Resident)/ Dispenser/

Laboratory technician/ Dresser/
X-ray Attendant/ Nursing Staff
In-charge/ Nursing Staff/ Ward
Boys/Ayas/ Store Keeper/ Lab.
Attendant / Dark Room
Attendant / Yoga Expert are not
available and not reported by
Visitor.

Non teaching Staff

 Anatomy Lab Attendants/ Physiology & Biochemistry Lab Technician/ Physiology Biochemistry Lab Attendants/ Homoeopathic Pharmacy Lab Attendants/ Pathology Microbiology Lab Technician/ Pathology & Microbiology Lab Attendants / Library Assistant/ Staff on Watch & Ward Duty/ Sanitation Staff are available.

Central Library

- Reading Room for Students and Teaching Faculty is Common.
- Photocopying facility-not available.
- Internet facility-not available
- Whether Cataloguing of books done is not done.
- Library Assistants-01 available against the requirement of 02.

Hospital Equipments

- Stretcher with trolley-01 available against the requirement of 05.
- Sterilizers-not available/ not reported against the requirement of 02.
- Urine pots, male and female-not available against the requirement of 10.
- Bed pans E.I.-05 available against the requirement of 10.
- Tongue depressor (Disposable)not available.
- Suction tube-not available.
- Artery forceps, small and bignot available against the requirement of 12.
- Back rest-01 available against the requirement of 02.
- Oxygen cylinder with stand-01 available against the requirement

Dressing drums (big) 01 available against the requirement of 02. Diagnostic set (ENT)-not available against the requirement of 0. Infra-red lamp-not available against the requirement of 0. Refrigerator- not available against the requirement of 0. Dept of Anatomy Dissection set complete-not available, against the requirement of 0. Soav for sectioning body and limb-root available. Soav for sectioning body and limb-root available. Teaching waterials-not available against the requirement of 0. Storage tanks to hold cadavers-not available. Teaching waterials-not available. Diagrams- not available. Soft parts-dry not available. Minimified bodies not available. Latest Diagrams- not available. Latest Diagrams- not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Phurmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 8/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia formation The whole department not available. Dept of Materia formation The whole department not available.			of 05.
available against the requirement of 02. Diagnostic set (ENT)-not available against the requirement of 05. Infra-red lamp-not available against the requirement of 01. Refrigerator- not available against the requirement of 01. Dept of Anatomy Dissection set complete-not available. Saw for sectioning body and limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching 'materials-not available. Teaching 'materials-not available. Soft parts-dry not available. Diagrams- not available. Soft parts-dry not available. Latest Diagrams- not available. Latest Diagrams- not available. Latest Diagrams- not available. Latest Diagrams- not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Physiology All Items except Medical Microscope (22) So stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Organon The whole department not available.			
of 02. Diagnostic set (ENT)-not available against the requirement of 05. Infra-ted lamp-not available against the requirement of 01. Refrigerator—not available against the requirement of 01. Dept of Anatomy. Dissection set complete-not available. Saw for sectioning body and limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching (materials-not available). Teaching (materials-not available). Teaching (materials-not available). Soft parts-dry not available. Murmified bodies—not available. Latest Diagrams-not available. Latest Diagrams-not available. Latest Diagrams-not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology. All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy. All Items except Microscope (222) stop watch 6/25 and Alatto (27) are not available. Dept of Pharmacy. All Items except Microscope (222) stop watch 6/25 and Alatto (27) are not available. Dept of Organon The whole department not available. Dept of Organon The whole department not available. Dept of Organon The whole department not available.			
available against the requirement of 05 Infra-red lamp-not available against the requirement of 01. Refrigerator—not available against the requirement of 01. Dept of Anatomy Dissection set complete-not available. Saw for sectioning body and limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching \materials-not available. Teaching \materials-not available. Soft parts-dry not available. Diagrams- not available. Soft parts-dry not available. Mummified bodies- not available. Latest Diagrams- not available. Latest Diagrams- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Medical Balance 3/10 are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available.			= =
of 05 Infra-red lamp-not available against the requirement of 01. Refrigerator—not available against the requirement of 01. Dept of Anatomy Dissection set complete-not available. Saw for sectioning body and limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching (materials-not available. Teaching (materials-not available. Soft parts-dry not available. Mummified bodies—not available. Microscope (Medical)—not available. Microscope (Medical)—not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 225 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (225) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available.			• Diagnostic set (ENT)-not
Infra-red lamp-not available against the requirement of 01. Refrigerator- not available against the requirement of 01. Dept of Anatomy Dissection set complete-not available. Saw for sectioning body and limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching \mathreals-not available. Teaching \mathreals-not available. Teaching \mathreals-not available. Diagrams- not available. Microscope (Medical)- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 225 and charts (07) are not available. Dept of Pharmacy All Items except Medical Balance 3/10 are not available. Dept of Pharmacy The whole department not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available.			available against the requirement
against the requirement of 01. Refrigerator—not a available against the requirement of 01. Dept of Anatomy Dissection set complete-not available. Saw for sectioning body and limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching (materials-not available. Diagrams- not available. Diagrams- not available. Mummified bodies—not available. Latest Diagrams- not available. Latest Diagrams- not available. Microscope (Medical)—not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available.			of 05
Refrigerator—not available against the requirement of 01. Dept of Anatomy Dissection set complete-not available. Saw for sectioning body and limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching \materials-not available. Teaching \materials-not available. Soft parts-dry not available. Mummified bodies- not available. Lattest Diagrams- not available. Lattest Diagrams- not available. Lattest Diagrams- not available. Cadavers not available. Lattest Diagrams- not available. Cadavers not available. Lattest Diagrams- not available. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (225) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Lept of Materia Medica The whole department not available. Lept of Materia Medica The whole department not available.			• Infra-red lamp-not available
against the requirement of 01. Dept of Anatomy • Dissection set complete-not available. • Saw for sectioning body and limbs-not available against the requirement of 01. • Storage tanks to hold cadavers-not available. • Teaching \materials-not available. • Diagrams- not available. • Diagrams- not available. • Murmified bodies- not available. • Microscope (Medical)- not available against the requirement of 25. • Cadavers not available. • College is not covered under the provisions of Anatomy Act. Dept of Physiology • All Items except Medical Microscope (275 and charts (07) are not available. Dept of Pharmacy • All Items except Microscope (2725) stop watch 6725 and Alcohol meter 275 chemical Balance 371 are not available. Dept of Organon • The whole department not available. Dept of Materia Medica • The whole department not available. Dept of Materia Medica			
Dept of Anatomy Dissection set complete-not available. Saw for sectioning body and limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching (materials-not available). Diagrams- not available. Diagrams- not available. Mummified bodies- not available. Latest Diagrams- not available. Latest Diagrams- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica			
Dissection set complete-not available. Saw for sectioning body and limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching materials-not available. Diagrams- not available. Diagrams- not available. Mummified bodies- not available. Latest Diagrams- not available. Latest Diagrams- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (2/25) knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Medical Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available dept of Materia Medica The whole department not available. Dept of Materia Medica			
available. Saw for sectioning body and limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching \materials-not available. Diagrams- not available. Soft parts-dry not available. Mummified bodies- not available. Latest Diagrams- not available. Latest Diagrams- not available. Latest Diagrams- not available. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Det of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica			
Saw for sectioning body and limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching materials-not available. Diagrams- not available. Mummified bodies- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available.			1
limbs-not available against the requirement of 01. Storage tanks to hold cadavers-not available. Teaching \materials-not available. Diagrams- not available. Mummified bodies- not available. Latest Diagrams- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica The whole department not available.			
requirement of 01. Storage tanks to hold cadavers- not available. Teaching materials-not available. Diagrams- not available. Mummified bodies- not available. Latest Diagrams- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (2/25) Kane Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica The whole department not available.			<u> </u>
Storage tanks to hold cadavers- not available. Teaching \materials-not available. Diagrams- not available. Soft parts-dry not available. Mummified bodies- not available. Latest Diagrams- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (2/25) knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica The whole department not available.			_
not available. Teaching \materials-not available. Diagrams- not available. Soft parts-dry not available. Mummified bodies- not available. Latest Diagrams- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/2/5) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica The whole department not available.			=
available. Diagrams- not available. Soft parts-dry not available. Mummified bodies- not available. Latest Diagrams- not available. Latest Diagrams- not available. Latest Diagrams- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica			not available.
Soft parts-dry not available. Mummified bodies- not available. Latest Diagrams- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica			
Mummified bodies- not available. Latest Diagrams- not available. Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica			• Diagrams- not available.
available. • Latest Diagrams- not available. • Microscope (Medical)- not available against the requirement of 25. • Cadavers not available. • College is not covered under the provisions of Anatomy Act. Dept of Physiology • All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy • All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon • The whole department not available. Dept of Materia Medica • The whole department not available. Hostel information			 Soft parts-dry not available.
Microscope (Medical)- not available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica			
available against the requirement of 25. Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica The whole department not available. Hostel information			• Latest Diagrams- not available.
of 25. • Cadavers not available. • College is not covered under the provisions of Anatomy Act. Dept of Physiology • All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy • All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon • The whole department not available. Dept of Materia Medica • The whole department not available. Hostel information			• Microscope (Medical)- not
Cadavers not available. College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica			available against the requirement
College is not covered under the provisions of Anatomy Act. Dept of Physiology All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Dept of Materia Medica The whole department not available. Hostel information			of 25.
provisions of Anatomy Act. Dept of Physiology • All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy • All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon • The whole department not available. Dept of Materia Medica • The whole department not available. Hostel information			 Cadavers not available.
Dept of Physiology • All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy • All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon • The whole department not available. Dept of Materia Medica • The whole department not available. Hostel information			=
All Items except Medical Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Hostel information			•
Microscope (25) Knee Hummer 2/25 and charts (07) are not available. Dept of Pharmacy • All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon • The whole department not available. Dept of Materia Medica • The whole department not available. Hostel information			
2/25 and charts (07) are not available. Dept of Pharmacy • All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon • The whole department not available. Dept of Materia Medica • The whole department not available. Hostel information			=
available. Dept of Pharmacy • All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon • The whole department not available. Dept of Materia Medica • The whole department not available. Hostel information			
Dept of Pharmacy • All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon • The whole department not available. Dept of Materia Medica • The whole department not available. Hostel information			
 All Items except Microscope (2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Hostel information 			
(2/25) stop watch 6/25 and Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon • The whole department not available. Dept of Materia Medica • The whole department not available. Hostel information			= -
Alcohol meter 2/5 Chemical Balance 3/10 are not available. Dept of Organon • The whole department not available. Dept of Materia Medica • The whole department not available. Hostel information			= -
Dept of Organon The whole department not available. Dept of Materia Medica The whole department not available. Hostel information			Alcohol meter 2/5 Chemical
 The whole department not available. Dept of Materia Medica The whole department not available. Hostel information 			
available. Dept of Materia Medica • The whole department not available. Hostel information			
Dept of Materia Medica • The whole department not available. Hostel information			-
• The whole department not available. Hostel information			
available. Hostel information			
Hostel information			=
▼ Tvot available.			
			- Trot available.

Agenda Item No.11

<u>Complaint regarding irregularities in Chandola Homoeopathic Medical College and Hospital,</u> Rudrapur (UK).

The Executive Committee discussed the letter dated 16.04.2019 of Ministry of AYUSH wherein it has been desired by Competent Authority to have comments of Chairman, BoG, CCH on the deficiencies mentioned in the inspection report as well as action taken with regards to various complaint regarding irregularities in Chandola Homoeopathic Medical College and Hospital, Rudrapur (UK).

After threadbare discussion, the Executive Committee observed that the said college was inspected on 22.01.2019 for verifications of the various complaints. The report of the inspection team along with enclosure was sent to the Ministry on 08.03.2019 and later, on 02/04/2019. Further, it is noted that the shortcomings noticed in January 2019, can only be taken into account for the next year i.e. 2019-20. For this year, when we gathered some information regarding leakage of information from inspectors, the inspection was immediately cancelled, as there was an apprehension that confidentiality of the report is likely to be breached and fresh inspection has been ordered for a later date. The shortcomings observed will be considered along with current inspection report for recommendation to Ministry for grant of permission/denial.

The Executive Committee directed the office to complete the actions on the decisions in these minutes immediately, keeping in view of urgency of the matters.

Meeting ended with the vote of thanks to the Chair.

Sd/-

(Dr. Kumar Vivekanand) Secretary

Attested

Sd/-

(Sh. Nilanjan Sanyal) Chairperson